

4




3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00	B	ECO-06-010266	17AUG06	LAM AF



SCREW, 993879-1
 SUPPLIED UNASSEMBLED, SEE TABLE

- ① TO PREVENT THREAD STRIPPING, SCREW TORQUE SHOULD NOT EXCEED 9 IN LBS.
- ② TAP HOLE IS 6-32UNC-2B, TWO MIN THREADS.
- ③ FINISH .000150 MATTE TIN OVER .000050 NICKEL .
- ④ COPPER ALLOY 725, .025 THICK
- 5 REFERENCE APPLICATION SPECIFICATION 114-11000 FOR DRILL HOLE SIZE AND FINISHES.

.050±.005 DIA



SECTION A-A
 SCALE 10:1
 10 PLACES

.57	YES	10	1-5055323-0
.32	YES	6	5055323-9
.57	NO	10	5055323-6
.32	NO	6	5055323-5
L	993879-1	NUMBER OF POSN	PART NO

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		Tyco Electronics		Tyco Electronics Corporation	
INCHES				J. ALCORTA - DOCKS		Electronics		Harrisburg, PA 17105-3608	
0 PLC	± -	0	± -	CHK	A. FRANTUM	NAME	TAP, POWER DISTRIBUTION		
1 PLC	± -	1	± -	APVD	S. FLICKINGER	PRODUCT SPEC	-		
2 PLC	± -	2	± -	108-11030		APPLICATION SPEC	-		
3 PLC	± .008	3	± -	114-11000		WEIGHT	-		
4 PLC	± -	4	± -	-		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
ANGLES	± -			-		A3	00779	C-5055323	-
MATERIAL	FINISH			CUSTOMER DRAWING		SCALE	4:1	SHEET	1 OF 1
④	③					REV	B		