

4


3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
G	14	F	LR	DESCRIPTION	DATE	BY	APP'D
		D		REV PER ECR-10-007996	19APRIL2010	RG	TM



AMP WIRE RANGE	E13288 Listed	LR7189 Certified
16-14 AWG SOLID OR STRANDED	16-14 AWG SOLID OR STRANDED	16-14 AWG SOLID OR STRANDED

- △ STAMP 105 AMP 16 - 14* APPROX AS SHOWN
105 INDICATES STUD SIZE
- 2. RECOMMENDED OPERATING TEMPERATURE: 170°C MAX
- 3. WIRE CROSS SECTIONAL AREA RANGE: 1.04-2.62mm²
[2,050-5,180 CIRCULAR MIL AREA] STRANDED
- △ MATERIAL: COPPER PER ASTM B-152 ANNEALED
- △ FINISH: TIN PLATE 0.00254 [0.00100] MIN THK
PER ASTM-B545

100	LOOSE PIECE, BOX SPECIAL (NO WINDOW)	8-53125-5
100	LOOSE PIECE, BOX	8-53125-1
5000	ON TAPE	53125-2
1000	LOOSE PIECE	53125-1
QTY	PACKAGING TYPE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRN R.GRZYBOWSKI 19APR2010	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK T.MICHELJUTI 19APR2010	NAME M.PECHERKE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPC —	PRODUCT SPEC —	APPLICATION SPEC —
0 PLG	± .05	—	—	—
1 PLG	± .03	—	—	—
2 PLG	± .02	—	—	—
3 PLG	± .01	—	—	—
4 PLG	± .005	—	—	—
ANGLES	± .05	—	—	—
MATERIAL	—	—	—	—
FINISH	—	—	—	—
MATERIAL		—	—	—
FINISH		—	—	—
CUSTOMER DRAWING		—	—	—
SIZE		A2	00779	C=53125
SCALE		10:1	SHEET	1 of 1
REV		D	RESTRICTED TO	

1471-9 (1/08)

53125

A