


NOTES:

- ① MAT'L: COPPER (STOCK TKN. $\frac{.040}{.102}$)
PLATING: ELECTRO TIN (.0003 MIN)
 - ② TIN-PLATED BRASS FUNNEL FERRULE
 - ③ NYLON INSULATION (COLOR CODED YELLOW)
- STUD SIZES: ($\pm .005$)
- 02 = .094
04 = .119
06 = .146
08 = .173
10 = .198
14 = .265
56 = .328
38 = .390

ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$

(MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER



"UL" LISTING # E32244
"CSA" LISTING # 18689

WIRE SIZE: 12 - 10 AWG₂
4.0 - 6.0 MM₂

PART NUMBER	"W" ±.010	"C" MIN:	"L" MAX.	REFERENCE	SCALE:	NTS	DATE	TITLE:	DWG. NO.	
									A	CUSTOMER DWG
C-841-	$\frac{.375}{9.53}$	$\frac{.301}{7.65}$	$\frac{1.118}{28.40}$		DRWN. BY: JJ		11.12.84	SPADE TONGUE TERMINAL AVIKRIMP 800-SERIES		
C-868-	$\frac{.533}{13.54}$	$\frac{.393}{9.98}$	$\frac{1.271}{32.28}$		CHKD. BY: GZ		11.26.84			
					APPRD. BY:					
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED										
FRAC.	DEC.	ANG.								
±	±	±								



CUSTOMER DWG