



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.




LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
B3		REVISED (ECR-09-010589)	28APR09	SC	WK



RECOMMENDED P.C. BOARD LAYOUT(T=1.6)
 (TOP VIEW)(TOLERANCE:±0.05)

NOTE:

- MATERIAL:
 HOUSING: THERMOPLASTIC(PBT), UL 94V-0, COLOR:SEE TABLE.
 CONTACTS: PHOSPHOR BRONZE, THICKNESS=0.25
 SHELL: BRASS, THICKNESS=0.30
- FINISH:
 CONTACTS: 0.76µm [30µ"] MIN. GOLD PLATED ON CONTACT AREA,
 2.54µm [100µ"] MIN. TIN-Cu ON SOLDER TAILS,
 1.27µm [50µ"] MIN. NICKEL, UNDERPLATED ALL OVER
 SHELL: 2.54µm [100µ"] MIN. TIN PLATED OVER
 1.27µm [50µ"] MIN. NICKEL UNDERPLATED
- WAVE SOLDER CAPABLE TO 265°C PER TEST SPEC.
 109-202, CONDITION B.
- HOUSING MIGHT BE MELTED AFTER DIFFERENT CUSTOMER WAVE SOLDERING PROCESS.






SEE SHEET 3	BLACK	1734366-4
	BLUE	1734366-3
SEE SHEET 2	WHITE	1734366-2
	BLACK	1734366-1
PACKING	HSG'S COLOR	PART NUMBER




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. CHIEN 19SEP2008	Tyco Electronics Corporation Taipi, Taiwan	
DIMENSIONS: MM		CHK S. CHIEN 19SEP2008	NAME RECEPT ASSY, VERTICAL, 4POSITION THRU-HOLE, TYPE A USB	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.28 1 PLC ± 0.25 2 PLC ± 0.13 3 PLC ± 0.05		APVD W. KODAMA 19SEP2008	PRODUCT SPEC 108-57547	
ANGLES ± 2°		QUALIFICATION TEST REPORT 501-57635		
FINISH SEE NOTE		WEIGHT 1.82GRAMS		
MATERIAL SEE NOTE		SIZE A3		
		CAGE CODE 00779		
		DRAWING NO 1734366		
		RESTRICTED TO		
CUSTOMER DRAWING		SCALE	SHEET 1 of 3	REV B3

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			



USE THE TAPE TO FIX THE TRAY(4X)



NOTE:
 1. PACKAGING MATERIAL IN PLASTIC, RUBBER, INK, PIGMENT AND PAINT MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.
 * CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED: 5 PPM.
 * LEAD, CADMIUM, CHROM VI AND MERCURY NOT TO EXCEED: 100 PPM (COMBINED).
 2. MATERIAL:
 TRAY: PVC, UPPER COVER THICKNE=0.3MM. LOWER COVER THICKNE=0.4MM

QTY	PART NUMBER
4800	1734366-2
4800	1734366-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics Corporation Taipi, Taiwan	
DIMENSIONS: MM		CHK	NAME	
		APVD	RECEPT ASSY, VERTICAL, 4POSITION THRU-HOLE, TYPE A USB	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	CAGE CODE
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APPLICATION SPEC	A3	00779
MATERIAL		WEIGHT	DRAWING NO	
FINISH			C=1734366	
		CUSTOMER DRAWING	RESTRICTED TO	
		SCALE	SHEET	REV
			2 OF 3	B3

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1.			

