



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOG		DIST		REVISIONS				
P	LTR	DESCRIPTION		ECN	DATE	DWN	APVD	
	0	RELEASE			03-OCT-02	H.S	A.N	



DRILLING DIAGRAM (BOTTOM VIEW) (2/1)
 基板加工圖 (底面圖) (2/1)



CONNECTION DIAGRAM (2/1)
 結線圖 (2/1)





Diagram dimension 作圖寸法	Tolerance 公差
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
 IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
 SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS: 單位: mm	TOLERANCE UNLESS OTHERWISE SPECIFIED:
0 P.L.C	±
1 P.L.C	±
2 P.L.C	±
3 P.L.C	±
4 P.L.C	±
ANGLES	±

MATERIAL 材名	FINISH 仕上
-	-

DWN	H. SASAKI	Tyco Electronics EC K.K. Tochigi, Japan
CHK	N. FUNAYAMA	
APVD	A. NAGAI	PCD-DIM SPEC .000 CUSTOMER DRAWING
PRODUCT SPEC 製品規格	-	
APPLICATION SPEC 応用規格	-	RESTRICTED TO
WEIGHT	-	SIZE
CUSTOMER DRAWING		A3
		CAGE CODE
		00779
		DRAWING NO
		1419146-2
		SCALE
		4 : 1
		SHEET
		1 OF 2
		REV
		0

4 3 2 1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOG		DIST		REVISIONS						
HH				P	LTR	DESCRIPTION	EGR	DATE	DWN	APVD

1419146-7	PCD-148D1MH,000	48V	PCD-148D1MH	g
4-1419126-8	PCD-124D1MH,000	24V	PCD-124D1MH	f
4-1419126-2	PCD-112D1MH,000	12V	PCD-112D1MH	e
1419146-5	PCD-109D1MH,000	9V	PCD-109D1MH	d
1419146-4	PCD-106D1MH,000	6V	PCD-106D1MH	c
3-1419126-6	PCD-105D1MH,000	5V	PCD-105D1MH	b
1419146-2	PCD-103D1MH,000	3V	PCD-103D1MH	a
AMP PART NO	EG TYPE NAME	PART B	PART A	TYPE

RELAY TYPE

AR	AR	AR	AR	AR	AR	AR	AR	UV RESIN	VENT SEAL	16		
AR	AR	AR	AR	AR	AR	AR	AR	POLYURETHANE Cu WIRE	MAGNETIC WIRE	15		
AR	AR	AR	AR	AR	AR	AR	AR	EPOXY RESIN	SEAL	14		
1	1	1	1	1	1	1	1	STAINLESS	HINGE SPRING	13		
1	1	1	1	1	1	1	1	SOLDER DIP	Cu ALLOY	COIL TERMINAL	12	
1	1	1	1	1	1	1	1	Ag ALLOY	STATIONARY CONTACT	11		
1	1	1	1	1	1	1	1	Ag ALLOY	MOVABLE CONTACT	10		
1	1	1	1	1	1	1	1	SOLDER DIP	Cu ALLOY	STATIONARY TERMINAL	9	
1	1	1	1	1	1	1	1	Cu ALLOY	MOVABLE SPRING	8		
1	1	1	1	1	1	1	1	SOLDER DIP	Cu ALLOY	MOVABLE TERMINAL	7	
1	1	1	1	1	1	1	1	PBT	CASE	6		
1	1	1	1	1	1	1	1	PBT	BOBBIN	5		
1	1	1	1	1	1	1	1	PBT	BASE	4		
1	1	1	1	1	1	1	1	NI PLATED	STEEL	CORE	3	
1	1	1	1	1	1	1	1	NI PLATED	STEEL	ARMATURE	2	
1	1	1	1	1	1	1	1	NI PLATED	STEEL	YOKE	1	
g	f	e	d	c	b	a		INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING MANUFACTURING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS: 単位: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P.C. ± 2 P.C. ± 3 P.C. ± 4 P.C. ± ANGLES ±	FINISH 仕上	DWN	CHK	APVD	NAME 名称	PRODUCT SPEC 製品規格	APPLICATION SPEC 応用規格	WEIGHT	SIZE 寸法	CAGE CODE 軍用規格	DRAWING NO 図番	RESTRICTED TO
					TYCO Tyco Electronics EC K. K. Tochigi, Japan		PCD-D1M SPEC .000 CUSTOMER DRAWING		A3	00779	1419146-2	4 : 1 SHEET 2 OF 2 REV 0	