

800 SERIES MACHINED PREMIUM CONTACT LEAD FREE PART NUMBER TABLE

DESCRIPTION	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.
HIGH RETENTION	△△	895/905	1.000	3.200	2	864-AG340-LF	5-6437538-4
HIGH RETENTION	△△	595/605	.700	2.400	2	848-AG340-LF	9-1437538-5
W/RAILS	△△					840-AR110-LF	8-1437538-6
.180 PC LEAD	△△	595/605	.700	2.000	2	840-AG340-LF	8-1437538-4
HIGH RETENTION	△△					840-AG340-LF	8-1437538-3
HIGH RETENTION	△△	595/605	.700	1.600	2	832-AG380-LF	9-6437533-4
HIGH RETENTION	△△					832-AG340-LF	2-6437538-5
W/RAILS	△△					828-AR120-LF	6-6437538-9
W/RAILS	△△	595/605	.700	1.400	1	828-AR110-LF	1-6437538-6
.180 PC LEAD	△△					828-AG340-LF	6437538-4
HIGH RETENTION	△△					828-AG340-LF	1-6437538-3
W/RAILS	△△	295/305	.400	1.200	1	824-AR310-LF	5-6437537-9
W/RAILS	△△	595/605	.700	1.200	1	824-AR110-LF	9-6437537-9
.180 PC LEAD	△△	295/305	.400	1.200	1	824-AG470-LF	9-6437537-7
.180 PC LEAD	△△	395/405	.500	1.200	1	824-AG440-LF	9-6437537-6
HIGH RETENTION	△△	595/605	.700	1.200	1	824-AG340-LF	9-6437537-5
HIGH RETENTION	△△					824-AG380-LF	9-6437537-4
HIGH RETENTION	△△	295/305	.400	1.200	1	824-AG340-LF	9-6437537-3
HIGH RETENTION	△△					820-AG430-LF	7-6437537-3
HIGH RETENTION	△△	295/305	.400	1.000	1	820-AG340-LF	7-6437537-2
.180 PC LEAD W/RAILS	△△					818-AR440-LF	4-6437539-9
W/RAILS	△△	295/305	.400	.900	1	818-AR110-LF	6-6437537-2
HIGH RETENTION	△△	295/305	.400	.800	1	816-AR110-LF	5-6437537-4
HIGH RETENTION	△△					816-AG340-LF	5-6437537-1
W/RAILS	△△					814-AR110-LF	3-6437537-5
.180 PC LEAD	△△	295/305	.400	.700	1	814-AG430-LF	3-6437537-2
HIGH RETENTION	△△					814-AG340-LF	3-6437537-1
W/RAILS	△△					808-AR110-LF	1-6437537-9
.180 PC LEAD	△△	295/305	.400	.400	3	808-AG430-LF	6437537-5
HIGH RETENTION	△△					808-AG340-LF	6437537-4
COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

800 SERIES MACHINED PREMIUM CONTACT PART NUMBER TABLE

DESCRIPTION	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.
W/RAILS	△△	295/305	.400	1.200	1	824-AR310	0-1437538-1
W/RAILS	△△	595/605	.700	1.200	1	824-AR110	9-1437537-9
.180 PC LEAD	△△	395/405	.500	1.200	1	824-AG660	9-1437537-8
.180 PC LEAD	△△	295/305	.400	1.200	1	824-AG470	9-1437537-7
.180 PC LEAD	△△	595/605	.700	1.200	1	824-AG450	6-1437538-6
.180 PC LEAD	△△	395/405	.500	1.200	1	824-AG440	9-1437537-6
HIGH RETENTION	△△	595/605	.700	1.200	1	824-AG340	9-1437537-5
HIGH RETENTION	△△					824-AG380	9-1437537-4
HIGH RETENTION	△△					824-AG330	9-1437537-3
	△△	295/305	.400	1.200	1	824-AG320	9-1437537-2
	△△					824-AG310	8-1437537-2
	△△					824-AG300	8-1437537-1
	△△					824-AG110	7-1437537-7
	△△					824-AG100	7-1437537-6
	△△					824-AG110	7-1437537-5
	△△					824-AG110	7-1437537-4
	△△					824-AG110	7-1437537-3
	△△					824-AG110	7-1437537-2
	△△					824-AG110	7-1437537-1
	△△	295/305	.400	1.100	1	822-AG110	7-1437537-7
	△△					822-AG110	7-1437537-6
	△△					822-AG110	7-1437537-5
	△△					822-AG110	7-1437537-4
	△△					822-AG110	7-1437537-3
	△△					822-AG110	7-1437537-2
	△△					822-AG110	7-1437537-1
W/RAILS	△△					818-AR440	4-1437539-9
.180 PC LEAD	△△	295/305	.400	.800	1	818-AR340	5-1437538-8
.180 PC LEAD	△△					818-AR110	4-1437537-9
.180 PC LEAD	△△					818-AR110	4-1437537-8
.180 PC LEAD	△△					818-AR110	4-1437537-7
.180 PC LEAD	△△					818-AR110	4-1437537-6
.180 PC LEAD	△△					818-AR110	4-1437537-5
.180 PC LEAD	△△					818-AR110	4-1437537-4
.180 PC LEAD	△△					818-AR110	4-1437537-3
.180 PC LEAD	△△					818-AR110	4-1437537-2
.180 PC LEAD	△△					818-AR110	4-1437537-1
HIGH RETENTION S/B 5-1437537-7	△△	295/305	.400	.900	1	818-AG340	5-1437538-8
	△△					818-AG110	5-1437537-0
	△△					818-AG110	5-1437537-1
	△△					818-AG110	5-1437537-2
	△△					818-AG110	5-1437537-3
	△△					818-AG110	5-1437537-4
	△△					818-AG110	5-1437537-5
	△△					818-AG110	5-1437537-6
	△△					818-AG110	5-1437537-7
	△△					818-AG110	5-1437537-8
	△△					818-AG110	5-1437537-9
W/RAILS	△△					814-AR440	3-1437537-2
.180 PC LEAD	△△					814-AR110	3-1437537-5
.180 PC LEAD	△△					814-AR110	3-1437537-4
.180 PC LEAD	△△					814-AR110	3-1437537-3
.180 PC LEAD	△△					814-AR110	3-1437537-2
.180 PC LEAD	△△					814-AR110	3-1437537-1
HIGH RETENTION	△△	295/305	.400	.700	1	814-AG440	3-1437537-3
HIGH RETENTION	△△					814-AG430	3-1437537-2
HIGH RETENTION	△△					814-AG340	3-1437537-1
	△△					814-AG110	2-1437537-9
	△△					814-AG110	2-1437537-8
	△△					814-AG110	2-1437537-7
	△△					814-AG110	2-1437537-6
	△△					814-AG110	2-1437537-5
	△△					814-AG110	2-1437537-4
	△△					814-AG110	2-1437537-3
	△△					814-AG110	2-1437537-2
	△△					814-AG110	2-1437537-1
W/RAILS	△△					808-AR110	1-1437537-9
.180 PC LEAD	△△					808-AR110	1-1437537-8
.180 PC LEAD	△△					808-AR110	1-1437537-7
.180 PC LEAD	△△					808-AR110	1-1437537-6
.180 PC LEAD	△△					808-AR110	1-1437537-5
.180 PC LEAD	△△					808-AR110	1-1437537-4
HIGH RETENTION	△△	295/305	.400	.400	3	808-AG430	1-1437537-5
HIGH RETENTION	△△					808-AG340	1-1437537-4
	△△					808-AG110	1-1437537-3
	△△					808-AG110	1-1437537-2
	△△					808-AG110	1-1437537-1
S/B 6-1437529-8	△△	295/305	.400	.300	-	808-AG110	2-1437533-5
S/B SUPERSEDED BY 6-1437529-5	△△					808-AG110	2-1437533-3
COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

800 SERIES MACHINED PREMIUM CONTACT PART NUMBER TABLE

DESCRIPTION	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.
HIGH RETENTION	△△	895/905	1.000	3.200	2	864-AG340	5-1437538-4
	△△					864-AG120	5-1437538-2
	△△					864-AG110	4-1437538-8
W/RAILS	△△					864-AG100	3-1437540-1
HIGH RETENTION	△△	595/605	.700	2.400	2	848-AR110	4-1437538-6
	△△					848-AG340	4-1437538-5
	△△					848-AG120	4-1437538-4
	△△					848-AG110	4-1437538-1
W/RAILS	△△	595/605	.700	2.100	2	842-AR110	3-1437538-9
	△△					842-AG120	3-1437538-8
	△△					842-AG110	3-1437538-7
W/RAILS	△△					840-AR110	3-1437538-6
.180 PC LEAD	△△					840-AG440	3-1437538-5
.180 PC LEAD	△△					840-AG340	3-1437538-4
HIGH RETENTION	△△	595/605	.700	2.000	2	840-AG340	3-1437538-3
	△△					840-AG120	3-1437538-2
	△△					840-AG110	3-1437538-0
	△△					840-AG100	2-1437538-9
	△△					836-AG110	2-1437538-7
S/B 2-1437528-4	△△	595/605	.700	1.800	2	832-AR120	9-1437533-7
HIGH RETENTION	△△					832-AG380	9-1437533-4
HIGH RETENTION	△△	595/605	.700	1.600	2	832-AG340	2-1437538-5
	△△					832-AG120	2-1437538-4
	△△					832-AG110	2-1437538-2
W/RAILS	△△					828-AR120	6-1437538-9
W/RAILS	△△					828-AR110	1-1437538-6
.180 PC LEAD	△△	595/605	.700	1.400	1	828-AG430	1-1437538-5
.180 PC LEAD	△△					828-AG340	1-1437538-4
HIGH RETENTION	△△					828-AG120	1-1437538-0
	△△					828-AG110	0-1437538-4
	△△					828-AG100	0-1437538-3
COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT. TYS ELECTRONICS CORPORATION
 HARRISBURG, PA 17100-3008
 DP SOCKET, 800 SERIES
 CUSTOMER DRAWING
 DATE: 00779G-1437539-2
 REV: 1

800 SERIES STAMPED ECONOMY
 CONTACT LEAD FREE PART NUMBER TABLE

W/RAILS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.
W/RAILS	△	.595/.605	.700	2.400	2	848-AR11D-ES-LF	8-1437540-0
W/RAILS	△	.595/.605	.700	2.000	2	840-AR12D-ES-LF	6-1447099-8
W/RAILS	△	.595/.605	.700	2.000	2	840-AR11D-ES-LF	7-1437540-2
.180 PC LEAD	△	.595/.605	.700	1.600	2	840-AG44D-ES-LF	7-1437540-0
W/RAILS	△	.595/.605	.700	1.600	2	832-AR11D-ES-LF	0-6437540-9
W/RAILS	△	.595/.605	.700	1.600	2	832-AG44D-ES-LF	0-6437540-7
.180 PC LEAD	△	.595/.605	.700	1.400	1	828-AR11D-ES-LF	0-6437540-8
W/RAILS	△	.595/.605	.700	1.400	1	828-AR44D-ES-LF	9-6437539-8
W/RAILS	△	.595/.605	.700	1.400	1	828-AR11D-ES-LF	9-6437539-7
W/RAILS	△	.595/.605	.700	1.400	1	828-AR44D-ES-LF	9-6437539-5
.180 PC LEAD	△	.295/.305	.400	1.200	1	824-AR47D-ES-LF	8-6437533-3
W/RAILS	△	.295/.305	.400	1.200	1	824-AR31D-ES-LF	8-6437539-7
W/RAILS	△	.295/.305	.400	1.200	1	824-AR12D-ES-LF	6-6447099-6
.180 PC LEAD	△	.295/.305	.400	1.200	1	824-AG44D-ES-LF	8-6437539-3
.180 PC LEAD	△	.295/.305	.400	1.100	1	822-AG44D-ES-LF	6-6437539-5
W/RAILS	△	.295/.305	.400	1.000	1	820-AR11D-ES-LF	5-6437539-7
W/RAILS	△	.295/.305	.400	1.000	1	820-AR11D-ES-LF	5-6437539-7
W/RAILS	△	.295/.305	.400	.800	1	816-AR11D-ES-LF	3-6437539-5
W/RAILS	△	.295/.305	.400	.800	1	816-AR11D-ES-LF	3-6437539-4
.180 PC LEAD	△	.295/.305	.400	.700	1	816-AG44D-ES-LF	3-6437539-2
W/RAILS	△	.295/.305	.400	.700	1	814-AR11D-ES-LF	2-6437539-2
W/RAILS	△	.295/.305	.400	.700	1	808-AR11D-ES-LF	0-6437539-0
.180 PC LEAD	△	.295/.305	.400	.400	1	808-AG44D-ES-LF	6437537-6

800 SERIES STAMPED ECONOMY
 CONTACT PART NUMBER TABLE

W/RAILS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.
.180 PC LEAD W/RAILS	△	.295/.305	.400	1.200	1	824-AR47D-ESL	8-1437533-3
.180 PC LEAD W/RAILS S/B 8-1437539-3	△	.295/.305	.400	1.200	1	824-AR44D-ESL	8-1437533-2
W/RAILS	△	.295/.305	.400	1.200	1	824-AR31D-ESL	3-1437540-9
W/RAILS	△	.295/.305	.400	1.200	1	824-AR12D-ESL	8-1437539-7
W/RAILS	△	.595/.605	.700	1.200	1	824-AR12D-ESL	6-1447099-6
W/RAILS	△	.595/.605	.700	1.200	1	824-AR11D-ESL	8-1437539-6
W/RAILS	△	.595/.605	.700	1.200	1	824-AR11D-ESL	8-1437539-5
W/RAILS	△	.395/.405	.500	1.200	1	824-AG60D-ESL	8-1437539-4
.180 PC LEAD	△	.595/.605	.700	1.200	1	824-AG44D-ESL	8-1437539-3
W/RAILS	△	.295/.305	.400	1.200	1	824-AG32D-ESL	8-1437539-1
W/RAILS	△	.295/.305	.400	1.200	1	824-AG31D-ESL	7-1437539-6
W/RAILS	△	.295/.305	.400	1.200	1	824-AG30D-ESL	7-1437539-6
W/RAILS	△	.295/.305	.400	1.200	1	824-AG30D-ESL	7-1437539-3
W/RAILS	△	.595/.605	.700	1.200	1	824-AG12D-ESL	7-1437539-2
W/RAILS	△	.595/.605	.700	1.200	1	824-AG11D-ESL	7-1437539-0
W/RAILS	△	.295/.305	.400	1.100	1	822-AG12D-ESL	6-1437539-2
W/RAILS	△	.295/.305	.400	1.100	1	822-AG12D-ESL	6-1437539-3
W/RAILS	△	.295/.305	.400	1.100	1	822-AG12D-ESL	6-1437539-2
W/RAILS	△	.295/.305	.400	1.100	1	822-AG12D-ESL	6-1437539-1
.180 PC LEAD W/RAILS S/B 7-1437537-4	△	.295/.305	.400	1.000	1	820-AR44D-ESL	7-1437533-1
W/RAILS	△	.295/.305	.400	1.000	1	820-AR11D-ESL	5-1437539-8
W/RAILS	△	.295/.305	.400	1.000	1	820-AR11D-ESL	5-1437539-7
.180 PC LEAD S/B 7-1437537-4	△	.295/.305	.400	.900	1	820-AG10D-ESL	5-1437539-0
W/RAILS	△	.295/.305	.400	.900	1	820-AG12D-ESL	5-1437539-6
W/RAILS	△	.295/.305	.400	.900	1	820-AG11D-ESL	5-1437539-3
W/RAILS	△	.295/.305	.400	.900	1	820-AG10D-ESL	5-1437539-2
W/RAILS	△	.295/.305	.400	.900	1	820-AG10D-ESL	5-1437539-1
.180 PC LEAD W/RAILS S/B 4-1437539-9	△	.295/.305	.400	.900	1	818-AR44D-ESL	6-1437533-4
W/RAILS	△	.295/.305	.400	.900	1	818-AR11D-ESL	4-1437539-8
W/RAILS	△	.295/.305	.400	.900	1	818-AR11D-ESL	4-1437539-7
.180 PC LEAD S/B 6-1437537-1	△	.295/.305	.400	.900	1	818-AG44D-ESL	6-1437533-3
W/RAILS	△	.295/.305	.400	.900	1	818-AG12D-ESL	4-1437539-6
W/RAILS	△	.295/.305	.400	.900	1	818-AG11D-ESL	4-1437539-4
W/RAILS	△	.295/.305	.400	.900	1	818-AG11D-ESL	4-1437539-3
W/RAILS	△	.295/.305	.400	.900	1	818-AG10D-ESL	4-1437539-1
W/RAILS	△	.295/.305	.400	.900	1	816-AR11D-ESL	3-1437539-5
W/RAILS	△	.295/.305	.400	.900	1	816-AR11D-ESL	3-1437539-4
.180 PC LEAD	△	.295/.305	.400	.800	1	816-AG40D-ESL	3-1437539-3
.180 PC LEAD	△	.295/.305	.400	.800	1	816-AG40D-ESL	3-1437539-2
W/RAILS	△	.295/.305	.400	.800	1	816-AG12D-ESL	3-1437539-1
W/RAILS	△	.295/.305	.400	.800	1	816-AG11D-ESL	2-1437539-9
W/RAILS	△	.295/.305	.400	.800	1	816-AG11D-ESL	2-1437539-8
W/RAILS	△	.295/.305	.400	.800	1	816-AG10D-ESL	2-1437539-6
.180 PC LEAD W/RAILS S/B 3-1437537-3	△	.295/.305	.400	.700	1	814-AR44D-ESL	5-1437533-3
W/RAILS	△	.295/.305	.400	.700	1	814-AR11D-ESL	2-1437539-2
W/RAILS	△	.295/.305	.400	.700	1	814-AR11D-ESL	2-1437539-2
.180 PC LEAD	△	.295/.305	.400	.700	1	814-AG40D-ESL	2-1437539-1
.180 PC LEAD S/B 3-1437537-3	△	.295/.305	.400	.700	1	814-AG44D-ESL	4-1437540-5
W/RAILS	△	.295/.305	.400	.700	1	814-AG12D-ESL	2-1437539-0
W/RAILS	△	.295/.305	.400	.700	1	814-AG11D-ESL	1-1437539-7
W/RAILS	△	.295/.305	.400	.700	1	814-AG11D-ESL	1-1437539-6
W/RAILS	△	.295/.305	.400	.700	1	814-AG10D-ESL	1-1437539-4
.180 PC W/RAILS S/B 1437539-9	△	.295/.305	.400	.300	1	808-AR44D-ESL	3-1437533-1
W/RAILS	△	.295/.305	.400	.300	1	808-AR11D-ESL	1-1437539-1
W/RAILS	△	.295/.305	.400	.300	1	808-AR11D-ESL	1-1437539-0
.180 PC LEAD	△	.295/.305	.400	.300	1	808-AG44D-ESL	0-1437539-9
.180 PC LEAD	△	.295/.305	.400	.300	1	808-AG43D-ESL	1-1437537-6
W/RAILS	△	.295/.305	.400	.300	1	808-AG12D-ESL	0-1437539-8
W/RAILS	△	.295/.305	.400	.300	1	808-AG11D-ESL	0-1437539-6
W/RAILS	△	.295/.305	.400	.300	1	808-AG11D-ESL	0-1437539-5
W/RAILS	△	.295/.305	.400	.300	1	808-AG10D-ESL	0-1437539-2
S/B 7-1437529-1	△	.295/.305	.400	.300	1	806-AG12D-ESL	2-1437533-8
S/B 1437535-8	△	.295/.305	.400	.300	1	806-AG11D-ESL	8-1437536-5
S/B 1437535-7	△	.295/.305	.400	.300	1	806-AG11D-ESL	2-1437533-7

800 SERIES STAMPED ECONOMY
 CONTACT PART NUMBER TABLE

W/RAILS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.
W/RAILS	△	.895/.905	1.000	3.200	2	864-AG12D-ES	5-1437538-3
W/RAILS	△	.895/.905	1.000	3.200	2	864-AG11D-ESL	5-1437538-0
W/RAILS	△	.895/.905	1.000	3.200	2	864-AG11D-ESL	5-1437538-0
W/RAILS	△	.895/.905	1.000	3.200	2	864-AG10D-ES	3-1437540-2
W/RAILS	△	.595/.605	.700	2.400	2	848-AR11D-ESL	6-1437540-2
W/RAILS	△	.595/.605	.700	2.400	2	848-AR11D-ESL	3-1437540-0
W/RAILS	△	.595/.605	.700	2.400	2	848-AR12D-ESL	2-1437540-8
W/RAILS	△	.595/.605	.700	2.400	2	848-AG11D-ESL	4-1437538-2
W/RAILS	△	.595/.605	.700	2.400	2	848-AG11D-ESL	2-1437540-6
W/RAILS	△	.595/.605	.700	2.400	2	848-AG10D-ESL	2-1437540-5
W/RAILS	△	.595/.605	.700	2.100	2	842-AG11D-ESL	2-1437540-4
.180 PC LEAD W/RAILS S/B 2-1437540-0	△	.595/.605	.700	2.100	2	840-AR44D-ESL	0-1437534-7
W/RAILS	△	.595/.605	.700	2.000	2	840-AR12D-ESL	6-1447099-8
W/RAILS	△	.595/.605	.700	2.000	2	840-AR11D-ESL	2-1437540-2
.180 PC LEAD	△	.595/.605	.700	2.000	2	840-AG44D-ESL	2-1437540-0
W/RAILS	△	.595/.605	.700	2.000	2	840-AG12D-ESL	1-1437540-9
W/RAILS	△	.595/.605	.700	2.000	2	840-AG11D-ESL	1-1437540-7
W/RAILS	△	.595/.605	.700	2.000	2	840-AG11D-ESL	1-1437540-6
W/RAILS	△	.595/.605	.700	2.000	2	840-AG10D-ESL	1-1437540-4
W/RAILS	△	.595/.605	.700	1.800	2	836-AG12D-ESL	1-1437540-2
W/RAILS	△	.595/.605	.700	1.800	2	836-AG11D-ESL	1-1437540-1
W/RAILS	△	.595/.605	.700	1.800	2	832-AR11D-ESL	0-1437540-9
W/RAILS	△	.595/.605	.700	1.800	2	832-AR11D-ESL	0-1437540-8
.180 PC LEAD S/B 1437540-1	△	.595/.605	.700	1.600	2	832-AG45D-ESL	6-1437538-0
.180 PC LEAD S/B 1437540-7	△	.595/.605	.700	1.600	2	832-AG44D-ESL	9-1437533-5
.180 PC LEAD	△	.595/.605	.700	1.600	2	832-AG44D-ESL	0-1437540-7
.180 PC LEAD	△	.595/.605	.700	1.600	2	832-AG43D-ESL	0-1437540-6
W/RAILS	△	.595/.605	.700	1.600	2	832-AG12D-ESL	0-1437540-5
W/RAILS	△	.595/.605	.700	1.600	2	832-AG11D-ESL	0-1437540-3
W/RAILS	△	.595/.605	.700	1.600	2	832-AG11D-ESL	0-14375

THIS DRAWING IS UNAPPROVED FOR PUBLICATION
 © COPYRIGHT BY TYPOL ELECTRONICS CORPORATION ALL RIGHTS RESERVED

REV	DATE	DESCRIPTION	BY	CHK	APP
00		SEE SHEET 1			

1000 SERIES MACHINED PREMIUM CONTACT, LOW INSERTION FORCE PART NUMBER TABLE

S/B	FIG	C	B	A	FIG	AUGAT PART NO.	TE PART NO.
S/B 4-1437538-8	Δ	.895/.905	1.000	3.200	2	1064-AG110	2-1437529-4
S/B 3-1437540-1	Δ	.895/.905	1.000	3.200	2	1064-AG100	2-1437529-3
S/B 3-1437538-0	Δ	.595/.605	.700	2.000	2	1040-AG110	2-1437529-2
S/B 2-1437538-2	Δ	.595/.605	.700	1.600	2	1032-AG110	2-1437529-1
S/B 1437538-4	Δ	.595/.605	.700	1.400	1	1028-AG110	1-1437529-9
S/B 8-1437537-9	Δ	.295/.305	.400	1.200	1	1024-AG310	1-1437529-8
S/B 8-1437537-2	Δ	.595/.605	.700	1.200	1	1024-AG110	1-1437529-6
S/B 8-1437537-1	Δ	.595/.605	.700	1.200	1	1024-AG100	1-1437529-5
S/B 6-1437537-6	Δ	.295/.305	.400	1.000	1	1020-AG110	1-1437529-4
S/B 6-1437537-4	Δ	.295/.305	.400	.900	1	1020-AG100	1-1437529-3
S/B 5-1437537-7	Δ	.295/.305	.400	.800	1	1018-AG110	1-1437529-2
S/B 5-1437537-6	Δ	.295/.305	.400	.800	1	1018-AG100	1-1437529-1
S/B 4-1437537-0	Δ	.295/.305	.400	.700	1	1016-AG110	1-1437529-0
S/B 3-1437537-7	Δ	.295/.305	.400	.700	1	1016-AG100	0-1437529-9
S/B 2-1437537-4	Δ	.295/.305	.400	.700	1	1014-AG110	0-1437529-7
S/B 2-1437537-1	Δ	.295/.305	.400	.700	1	1014-AG100	0-1437529-6
S/B 1437537-8	Δ	.295/.305	.400	.400	3	1008-AG110	0-1437529-5
S/B 1437537-5	Δ	.295/.305	.400	.400	3	1008-AG100	0-1437529-4
COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

1800 SERIES MACHINED PREMIUM CONTACT, LOW GOLD PART NUMBER TABLE

S/B	FIG	C	B	A	FIG	AUGAT PART NO.	TE PART NO.
S/B 5-1437538-0	Δ	.895/.905	1.000	3.200	2	1064-AG110	5-1437529-1
S/B 6-1437540-2 W/RAILS	Δ	.595/.605	.700	2.400	2	1848-AR110	5-1437529-0
S/B 4-1437538-2	Δ	.595/.605	.700	2.100	2	1848-AG110	4-1437529-9
S/B 2-1437540-4	Δ	.595/.605	.700	2.100	2	1842-AG110	4-1437529-8
S/B 2-1437540-2 W/RAILS	Δ	.595/.605	.700	2.000	2	1840-AR110	4-1437529-7
S/B 1-1437540-7	Δ	.595/.605	.700	2.000	2	1840-AG110	4-1437529-6
S/B 1437540-3	Δ	.595/.605	.700	1.600	2	1832-AG110	4-1437529-5
S/B 9-1437539-7 W/RAILS	Δ	.595/.605	.700	1.400	1	1828-AR110	4-1437529-4
S/B 9-1437539-2	Δ	.595/.605	.700	1.400	1	1828-AG110	4-1437529-3
S/B 3-1437540-9 W/RAILS	Δ	.295/.305	.400	1.200	1	1824-AR110	4-1437529-2
S/B 8-1437539-6 W/RAILS	Δ	.595/.605	.700	1.200	1	1824-AR110	4-1437529-1
S/B 8-1437539-4	Δ	.395/.405	.500	1.200	1	1824-AR110	4-1437529-0
S/B 7-1437539-7	Δ	.295/.305	.400	1.200	1	1824-AG110	3-1437529-9
S/B 7-1437539-0	Δ	.595/.605	.700	1.200	1	1824-AG110	3-1437529-8
S/B 6-1437539-3	Δ	.395/.405	.500	1.100	1	1822-AG110	3-1437529-7
S/B 5-1437539-8 W/RAILS	Δ	.295/.305	.400	1.000	1	1820-AR110	3-1437529-6
S/B 5-1437539-3	Δ	.295/.305	.400	.900	1	1820-AG110	0-1437537-3
S/B 4-1437539-8 W/RAILS	Δ	.295/.305	.400	.900	1	1818-AR110	3-1437529-5
S/B 4-1437539-4	Δ	.295/.305	.400	.800	1	1818-AG110	3-1437529-3
S/B 3-1437539-5 W/RAILS	Δ	.295/.305	.400	.800	1	1818-AR110	3-1437529-2
S/B 2-1437539-8	Δ	.295/.305	.400	.700	1	1816-AG110	3-1437529-1
S/B 2-1437539-3 W/RAILS	Δ	.295/.305	.400	.700	1	1814-AR110	3-1437529-0
S/B 1-1437539-7	Δ	.295/.305	.400	.700	1	1814-AG110	2-1437529-9
S/B 1-1437539-1 W/RAILS	Δ	.295/.305	.400	.400	3	1808-AR110	2-1437529-6
S/B 1437539-6	Δ	.295/.305	.400	.400	3	1808-AG110	2-1437529-5
S/B 1437535-8	Δ	.295/.305	.400	.300		1806-AG110	0-1437535-2
COMMENTS	PLATING	C	B	A	FIG	AUGAT PART NO.	TE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT

REVISIONS: 1. DATE: 00779 (G) 1437539-2

DATE: 00779 (G) 1437539-2

CUSTOMER DRAWING

Two Electronics Corporation
 Harrisburg, Pa 17102-3008

DIP SOCKET, 800 SERIES

REV: 1.1