


202D211-25/86-0 Product Details



202D211-25/86-0

TE Part Number: 705585-000

Active

[Add to Part List](#)

Molded Parts

Always EU RoHS/ELV Compliant ([Statement of Compliance](#))

Product Highlights:

- Molded Boot
- Family Name = 202D2
- Straight
- General Purpose Application, Military Application
- Entry Size, Braided or Magneform Adapter = 4, 5, 6

[View all Features](#) | [Find Similar Products](#)

Quick Links

- [Check Pricing & Availability](#)
 - [Search for Tooling](#)
 - [Product Feature Selector](#)
 - [Contact Us About This Product](#)
 - [Request Samples](#)
- NEW!**

Documentation & Additional Information

Product Drawings:

- [Boot, Straight, with Lip](#) (PDF, English)

Catalog Pages/Data Sheets:

- [Wire and Cable, Harnessing and Protection Products](#) (PDF, English)

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Molded Boot
- Size = 11
- Material = Fluid Resistant Modified Elastomer

Electrical Characteristics:

- Angle = Straight

Body Related Features:

- Cable Diameter Range (mm [in]) = 6.40 - 14.00 [0.252 - 0.551]

Contact Related Features:

- [Family Name](#) = 202D2
- Entry Size, Braided or Magneform Adapter = 4, 5, 6
- Approved Standards = DEF Std 59-97 Issue 3 Type DE, MIS-34867, VG95343 Parts 6, 7, 8, & 9

Housing Related Features:

- Entry Size, Tinel-Lock Adapter = 4, 5
- Entry Size - Spin Coupling Adapter = 4 - 5
- Adapter Entry Size Outside Diameter (Min-Max) (mm [in]) = 11.40 - 15.60 [0.449 - 0.614]
- [Material Systems Code](#) = 25
- Adhesive Pre-Coating = With
- Adhesive Description = High Performance Pre-Coat Adhesive

Configuration Related Features:

- Material Code = 25
- Adhesive Code = 86

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- Operating Temperature (°C) = -55 - +120

Operation/Application:

- Application = General Purpose, Military

Other:

- Brand = Raychem