



Revision Date: 06/27/2008 **Issue date:** 06/27/2008

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: 63/37 C400 3C 0.61MM 0.5KG AM (0.024) Item No.: MM

Product type: Solder Wire

Company address: Henkel Corporation

15051 East Don Julian Road Industry, California 91746

Item No.: MM00970 / IDH No. 386876

Region: United States

Contact Information: Telephone: 626.968.6511

Emergency Telephone: 860.571.5100 Internet: www.electronics.henkel.us

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components	<u>%</u>	ACGIH TLV	OSHA PEL	OTHER
Tin	60 -1 00	2 mg/m³ TWA	2 mg/m³ TWA as Sn	None
7440-31-5		2 mg/m³ TWA except Tin	2 mg/m³ TWA	
		hydride	_	
Lead	30-60	0.05 mg/m ³ TWA	30 µg/m3 Action Level as	None
7439-92-1			Pb. Poison - see 29 CFR	
			1910.1025	
			50 μg/m³ TWA as Pb	
			50 μg/m³ PEL as Pb	
Modified rosin	1-5	None	None	None
Modified Resin	1-5	None	None	None
Proprietary				

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS:

Physical state:PasteHEALTH:3*Color:Grey MetallicFLAMMABILITY:1Odor:SweetPHYSICAL HAZARD:0

Personal Protection: See Section 8

DANGER: FUMES EVOLVED DURING SOLDERING WILL IRRITATE THE EYES NOSE AND THROAT

POSSIBLE CANCER HAZARD.

HARMFUL IF SWALLOWED, ABSORBED THROUGH SKIN OR INHALED.

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Inhalation: Lead is a cumulative poison and continuous exposure to small amounts over time can raise the body's

content to toxic levels. Excessive inhalation of fumes from many metals can produce an acute reaction known as "metal fume fever". Symptoms consist of chills and fever (very similar to and easily confused

with flu symptoms) which come on a few hours after large exposures.

Skin contact: Harmful if absorbed through skin. Prolonged or repeated skin contact may cause irritation, skin

sensitization and argyria (a non-toxic, cosmetic blue-gray discoloration of the skin and mucous

membranes that is irreversible).

Eye contact: Contact with eyes will cause irritation.

Ingestion: Not expected under normal conditions of use. Lead is a cumulative poison and continuous exposure to

small amounts over time can raise the body's content to toxic levels.

Existing conditions aggravated by

exposure:

Repeated or prolonged exposure to lead and its compounds may produce general health deterioration

by an accumulation in one or more human organs.

Item No.: MM00970 / IDH No. 386876 Product name: 63/37 C400 3C 0.61MM 0.5KG AM (0.024)

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get

medical attention immediately.

Skin contact: Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. If a

person feels unwell or symptoms of skin irritation appear, consult a physician.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical

attention.

Ingestion: Get medical attention immediately. Induce vomiting as directed by medical personnel if person is

conscious

5. FIRE-FIGHTING MEASURES

Flash point: Does not flash.

Autoignition temperature: Not applicable

Flammable/Explosive limits-lower %: Not applicable

Flammable/Explosive limits-upper %: Not applicable

Extinguishing media: Foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA). Do not use

water on fires where molten metal is present. High temperatures may produce heavy metal fumes, dust

and vapor.

Unusual fire or explosion hazards: May liberate large quantities of dense, foul-smelling smoke which may contain unidentified toxic

gasses.

Hazardous combustion products: Oxides of Carbon. Oxides of Metals in Section 2. The flux medium will give rise to irritating fumes.

Thermal oxidation may result in the formation of formaldehyde. Formaldehyde is a potential cancer hazard and a known skin and respiratory sensitizer. Vapors irritate the eyes, nose and throat.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Do not let product enter drains.

Clean-up methods: Scrape up spilled material and place in sealed container for disposal.

7. HANDLING AND STORAGE

Handling: Avoid contact with molten material. Avoid contact with eyes, skin and clothing. Do not wear contact

lenses. Wash thoroughly after handling.

Storage: Store in original container until ready to use.

Incompatible products: Oxidizing agents. Strong acids or bases.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls: Use local ventilation if general ventilation is insufficient to maintain vapor concentration below

established exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure limit(s).

Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact.

Item No.: MM00970 / IDH No. 386876 Product name: 63/37 C400 3C 0.61MM 0.5KG AM (0.024)

Eye/face protection: Safety goggles or safety glasses with side shields.

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Paste Color: Grey Metallic Odor: Sweet

Vapor pressure: negligible vapor pressure at ambient temperatures

pH: Not applicable Boiling point/range: Not determined

Melting point/range: 183°C (361°F) (solder alloy)

8.4

Specific gravity: Vapor density: Not applicable **Evaporation rate:** Not available Solubility in water: Insoluble. Partition coefficient (n-octanol/water): Not determined

VOC content: Zero

10. STABILITY AND REACTIVITY

Stability: Stable.

Hazardous polymerization: Will not occur.

Hazardous decomposition products: Oxides of carbon. Oxides of Metals in Section 2. Formaldehyde.

Incompatability: Acids and bases. Oxidizing agents.

Conditions to avoid: Avoid contact with acids and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Tin	No	No	No
7440-31-5			
Lead	Suspect Carcinogen	Group 2B	Yes
7439-92-1			
Modified rosin	No	No	No
Modified Resin	No	No	No
Proprietary			

<u>Literature Referenced Target Organ & Other Health Effects</u>

Hazardous components	Health Effects/Target Organs		
Tin	Nervous System, Lung, Liver, Kidney, Irritant, Gastrointestinal		
7440-31-5			
Lead	Thyroid, Some evidence of carcinogenicity, Skin, Reproductive, Nervous System, Muscle, Liver, Kidney,		
7439-92-1	Gastrointestinal, Eyes, Developmental, Blood, Behavioral		
Modified rosin	No data		
Modified Resin Proprietary	No Records		

12. ECOLOGICAL INFORMATION

Item No.: MM00970 / IDH No. 386876 Product name: 63/37 C400 3C 0.61MM 0.5KG AM (0.024) 3 of 5

Ecological information:

No specific studies have been conducted by Henkel on the ecotoxicity or environmental fate of this material; however, commonly available data on the material indicate that uncontrolled releases to soil, groundwater, or surface waters could entail acute and/or chronic ecological effects, depending on the quantity and concentration of such releases. Releases of volatile components to the atmosphere are not believed to entail significant ecological consequences provided such releases are within the exposure levels set forth in this document. Accordingly, all appropriate measures should be taken to avoid uncontrolled releases to the environment, and any spills or other uncontrolled releases which may occur should be contained and cleaned up immediately in accordance with Section 6.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of in accordance with Federal, State and local regulations. Do not dispose of in an

uncontrolled manner.

EPA hazardous waste number: D008 Lead

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: Not regulated Hazard class or division: None

Identification number: None Packing group: None

International Air Transportation (ICAO/IATA):

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

WaterTransportation (IMO/IMDG):

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
None
Packing group:
None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:

TSCA 12 (b) Export Notification:

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

None.

CERCLA/SARA Section 302 EHS: None above reporting de minimus.

CERCLA/SARA Section 311/312: Immediate Health Hazard, Delayed Health Hazard

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313

of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Lead (CAS#

7439-92-1).

California Proposition 65: This product contains a chemical known to the State of California to cause cancer and birth defects or

other reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Domestic Substances List.

WHMIS hazard class: D.2.A, D.2.B

Item No.: MM00970 / IDH No. 386876 Product name: 63/37 C400 3C 0.61MM 0.5KG AM (0.024)

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 2,3,4,5,6,8,10

Prepared by: Lou Fabrizio, Senior Health & Regulatory Affairs Specialist

For Safety and Regulatory Information contact:

Product Safety and Regulatory Affairs,

Rocky Hill, CT. 860-571-5204

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Item No.: MM00970 / IDH No. 386876 Product name: 63/37 C400 3C 0.61MM 0.5KG AM (0.024) 5 of 5