




10 9 8 7 6 5 4 3 2 1



PUSH LATCH TO RELEASE MODULE



QUALITY SYMBOLS
=0
=0

REV	DESCRIPTION	QUALITY SYMBOLS
1	REVISION	=0
2	REVISION	=0
3	REVISION	=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm
4 PLACES	± 0.25
3 PLACES	± 0.25
2 PLACES	± 0.25
1 PLACE	± 0.25
ANGULAR ± 3°	






DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
DAVID HU	2005/11/10
CHECKED BY	DATE
HARVEY	2005/11/10
APPROVED BY	DATE
NAGESHKN	2010/04/07
MATERIAL NO.	
480994000	

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
NTS	METRIC	
TITLE		
LATCH FOR MINIPCI-E 4.0H 0.8MM PITCH 52 CIRCUIT WITH COVER LEAD-FREE		
MOLEX INCORPORATED		
DOCUMENT NO.	SHEET NO.	
SD-48099-400	1 OF 3	

9 8 7 6 5 4 3 2 1

10 9 8 7 6 5 4 3 2 1

NOTES:
 1. PIN NUMBERING REFERENCE:
 ODD PINS-TOP SIDE
 EVEN PINS-BOTTOM SIDE
 COMPONENT AND ROUTING(ALL LAYERS)
 KEEP OUT AREA FOR HOLD DOWN SOLUTIONS
 COMPONENT KEEP OUT AREA FOR CONNECTOR



QUALITY SYMBOLS

	=0
	=0
	=0

REVISED EC NO: S2010-0835 TDR:WANGZS 2010/04/05 CHK:CHAREY 2005/11/10 APP:RAMESHKN 2010/04/07	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			mm INCH	MM ONLY	NTS	METRIC	
			4 PLACES ± --- ± ---	DRAWN BY	DATE	TITLE	
			3 PLACES ± --- ± ---	DAVID HU	2005/11/10	LATCH FOR MINIPCI-E 4.0H	
			2 PLACES ± 0.25 ± ---	CHECKED BY	DATE	0.8MM PITCH 52 CIRCUIT	
			1 PLACE ± 0.25 ± ---	HARVEY	2005/11/10	WITH COVER LEAD-FREE	
			ANGULAR ± 3°	APPROVED BY	DATE	MOLEX INCORPORATED	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	NAGESHKN	2010/04/07	MATERIAL NO. 480994000	
						DOCUMENT NO. SD-48099-400	
						SHEET NO. 3 OF 3	