


PART NO.

D01469

		REVISIONS						
ECN#	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	А	RELEASED	Jagan	25/01/10	Veena	25/01/10	Farnell	08/02/10



Features:

Material designation : 101(+)(f1), 101F(+)(f1), 101L(+)(f1), E101(+)(f1),

E101L(f1), 132F(+)(f1), 135F(+)(f1). Polyamide 66 (PA66), designated "zytel" Product description :

furnished as pallets.
: 13kV/mm.

Dielectric strength

Volume resistivity

: 14 (10^k ohm-cm). : 0. : 0. : 6. CTI HVTR D495

Dimensions : Millimetres

TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:	[
Jagan	25/01/2010	
CHECKED BY:	DATE:	r
Veena	25/01/2010	
APPROVED BY:	DATE:	H
Farnell	08/02/2010	

	DRAW	ING TITLE:									
)	Duratool Spacers										
)	size A	DWG NO.			TRONIC FII 398_DWC			REV A			
)	SCAL	E: NTS	U.O.M.: mm		SHEET:	1	OF	2			



	PART NO.			REVISIONS						
L		ECN#	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
	D01469	-	Α	RELEASED	Jagan	25/01/10	Veena	25/01/10	Farnell	08/02/10

Specifications Table

Colour	Minimum Thickness (mm)	Flame Class	HWI	HAI	RTI Elec	RTI Imp	RTI Str	IEC GWIT	IEC GWFI	
	0.71		4					725		
All	1.5	V-2	3	0	130	75	85	750	000	
All	3		2					800	960	
	6							800		

- (+) Virgin and regrind up to 50% by weight inclusive, have the same basic material characteristics.

 (f1) Suitable for outdoor use with respect to exposure to ultraviolet light, water exposure and immersion in accordance with UL 746C.

Part Number Table

Description	Part Number
Spacers	D01469

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

TOLERANCES:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:	DRAW	ING TITLE:							
Jagan	25/01/2010			Spac	ers					
CHECKED BY:	DATE:	SIZE DWG NO.			FLEC		REV			
Veena	25/01/2010	Δ				1733398 DWG				
APPROVED BY: DATE:		\vdash								
Farnell	08/02/2010	SCALE: NTS U.O.M.: mm				SHEET:	2	OF	2	