



# PRODUCT SPECIFICATION

<b>Brand</b>	Kasp
<b>Product Range</b>	Combination padlocks
<b>Catalogue number</b>	110
<b>Date</b>	16/01/2008

<p><b>Range Description</b> Brass Combination padlocks</p>		 		
<p><b>Features</b></p> <ul style="list-style-type: none"> <li>• Solid brass body – added resistance to corrosion</li> <li>• 4 digit code (3 on 20 and 30mm) – for added security</li> <li>• Resettable combination – for added convenience</li> </ul> <p>These padlocks are supplied display packed in sealed blisters or individually boxed</p>				
Item Number	Item Description	EAN No	Commodity code	Carton Qty
K11020D	Brass combination padlock – 20mm display packed	5013969900019	83011000	6
K11030	Brass combination padlock – 30mm boxed	5013969902365	83011000	12
K11030D	Brass combination padlock – 30mm display packed	5013969900026	83011000	6
K11040	Brass combination padlock – 40mm boxed	5013969902372	83011000	12
K11040D	Brass combination padlock – 40mm display packed	5013969900033	83011000	6
K11020DLL	Brass combination Luggage Lock – 20mm display packed	5013969902822	83011000	6
K11020DCLIP	Brass Combination Luggage Lock – 20mm Clip Strip of 6 x K11020D	5013969902792	83011000	1

<p>Technical product information</p>	<p><b>Body</b> – Solid brass</p> <p><b>Shackle</b>- Steel, chrome plated</p> <p><b>Locking mechanism</b>- Rotating disc type. Re-settable. To re-set, open the padlock and turn the shackle through 180 degrees, push the shackle down in to the body of the lock, rotate the dials to the new combination and lift the shackle back up</p> <p><b>Security rating:</b></p> <table border="1" data-bbox="516 562 873 787"> <thead> <tr> <th>Item</th> <th>Security rating</th> </tr> </thead> <tbody> <tr> <td>K11020D</td> <td>2</td> </tr> <tr> <td>K11030</td> <td>3</td> </tr> <tr> <td>K11030D</td> <td>3</td> </tr> <tr> <td>K11040</td> <td>4</td> </tr> <tr> <td>K11040D</td> <td>4</td> </tr> </tbody> </table> <p><b>Shackle Dimensions:</b></p> <table border="1" data-bbox="516 888 1092 1201"> <thead> <tr> <th rowspan="2">Dimensions mm</th> <th colspan="3">Shackle</th> </tr> <tr> <th>Dia</th> <th>Internal width</th> <th>Internal height</th> </tr> </thead> <tbody> <tr> <td>K11020D</td> <td>3</td> <td>8</td> <td>21</td> </tr> <tr> <td>K11030</td> <td>5</td> <td>14</td> <td>25</td> </tr> <tr> <td>K11030D</td> <td>5</td> <td>14</td> <td>25</td> </tr> <tr> <td>K11040</td> <td>6</td> <td>21</td> <td>27</td> </tr> <tr> <td>K11040D</td> <td>6</td> <td>21</td> <td>27</td> </tr> <tr> <td>K11020DLL</td> <td>3</td> <td>8</td> <td>21</td> </tr> </tbody> </table> <p><b>Use environment</b>- Light outdoor use</p> <p><b>Recommended applications</b>- Luggage, cupboards, lockers, toolboxes, sheds etc.</p>	Item	Security rating	K11020D	2	K11030	3	K11030D	3	K11040	4	K11040D	4	Dimensions mm	Shackle			Dia	Internal width	Internal height	K11020D	3	8	21	K11030	5	14	25	K11030D	5	14	25	K11040	6	21	27	K11040D	6	21	27	K11020DLL	3	8	21
Item	Security rating																																											
K11020D	2																																											
K11030	3																																											
K11030D	3																																											
K11040	4																																											
K11040D	4																																											
Dimensions mm	Shackle																																											
	Dia	Internal width	Internal height																																									
K11020D	3	8	21																																									
K11030	5	14	25																																									
K11030D	5	14	25																																									
K11040	6	21	27																																									
K11040D	6	21	27																																									
K11020DLL	3	8	21																																									
Standards compliance	None applicable																																											
User health and safety information	None applicable																																											
RoHS/WEEE compliance	These products do not fall within the scope of RoHS or WEEE regulations																																											
Material safety data	None applicable																																											
Warranty	KASP padlocks are guaranteed against defects in manufacture and/or materials for 10 years Damage caused through inappropriate use or attempted break in is not covered																																											
Country of origin	China																																											

## Dimensional details

Item	Product only				Product on primary packaging			
	Width mm	Depth mm	Height mm	Net weight g	Width mm	Depth mm	Height mm	Gross weight g
K11020D	22	14	56	48	140	22	170	79
K11030	32	16	68	120	36	16	74	124
K11030D	32	16	68	120	140	18	170	151
K11040	42	18	81	231	45	18	80	235
K11040D	42	18	81	231	140	20	170	262
K11020DLL	22	14	56	48	140	22	170	79
K11020DCLIP	22	14	56	48	140	22	170	79

Item	Shelf box (secondary packaging)				Euro Pallet data Wi x Hi	
	Width mm	Depth mm	Height mm	Gross weight g	No of cartons on base	Number of rows high
K11020D	145	175	65	535		
K11030	75	115	75	1522		
K11030D	145	205	75	983		
K11040	95	118	85	2866		
K11040D	145	240	75	1654		
K11020DLL	145	175	65	535		
K11020DCLIP	140	22	970	370		

## Packaging waste details

Item	Primary Packaging				Secondary packaging			
	Plastic g	Use	Card g	Use	Plastic g	Use	Card g	Use
K11020D	24	Blister	7	Backing card			61	Box
K11030			4	Box			34	Box
K11030D	24	Blister	7	Backing card			77	Box
K11040			4	Box			46	Box
K11040D	24	Blister	4	Box			82	Box
K11020DLL	24	Blister	7	Backing card			61	Box
K11020DCLIP	144	Blisters	42	Backing Cards	56	Clip strip & sleeve		

Copyright Carl Kammerling International Ltd