

IE-FCM-USB-A

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-2083
 www.weidmueller.com



Weidmüller's FrontCom®-Micro is your best choice when you require IP65 connections at the electrical cabinet, control panel or distribution box.

- with @ technology up to 10 Gbit/s
- Versatile with multiple inserts: RJ45 and USB
- Simple assembly by means of central screw coupling

General ordering data

Order No.	1018840000
Part designation	IE-FCM-USB-A
Version	FrontCom Micro USB coupling , Type A
EAN	4032248730094
Qty.	10 pc(s).

IE-FCM-USB-A

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-2083
 www.weidmueller.com

Technical data

temperature

Ambient temperature (operational) -40°C - +70°C

Connection elements

Connection 1	USB	Connection 2	USB
Housing main material	PA UL 94 V0	Colour	black
Type of mounting	Cabinet Distribution box	Shielding	360° shield contact
Wiring	Type A	Insertion force	≤ 66N

Technical data

Colour black

Approvals

Approvals institutes CULUS


Classifications

eClass 5.1 27-25-05-04 eClass 6.0 27-25-05-04

IE-FCM-USB-A

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-2083
www.weidmueller.com

Drawings



IE-FCM-USB-A

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-2083
www.weidmueller.com

Accessories**IE fastening tool**

The mounting tool helps you to tighten the locknut when mounting the flange of version 04.

Comments:

- Standard tool
- made from tough plastic

General ordering data

Order No.	Part designation	Version	EAN	Qty.
9204370000	IE-FISP-V4	Screwing tool	4032248660780	2 pc(s).