




# Semiconductor Fuse

## 70-1000A, 150 Volts

BIF Document  
**35785310**

Size



**Minimum Melting** Time-Current Characteristic Curves  
**FWA 70A-1000A**

Approved: **NN** Page **1 of 3**  
Rev. Date: **SEPT-97** Pub. Date: **JAN-98**

**COOPER Bussmann**  
7-11-01 SB01191

BUSSMANN  
P.O. Box 14460  
St. Louis, MO 63178-4460  
U.S.A.  
Phone: 314-394-2877  
Fax: 800-544-2570  
Int'l Fax: 314-527-1413

BUSSMANN U.K.  
Burton-on-the-Wolds  
Leicestershire LE12 5TH  
England  
Phone: 44-1509-882737  
Fax: 44-1509-882786

BUSSMANN DENMARK  
5 Litterbuen  
DK-2740 Skovlunde  
Copenhagen, Denmark  
Phone: 45-4485-0900  
Fax: 45-4485-0901

Bussmann reserves the right without notice to change design and/or discontinue distribution of this product.




# Semiconductor Fuse

## 70-400A, 150 Volts

BIF Document  
**35785310**

Size



**Peak Let-Through** Time-Current Characteristic Curves  
**FWA 70A-400A**

Approved: **NN** Page **2 of 3**  
Rev. Date: **SEPT-97** Pub. Date: **JAN-98**

**COOPER Bussmann**  
7-11-01 SB01191

BUSSMANN  
P.O. Box 14460  
St. Louis, MO 63178-4460  
U.S.A.  
Phone: 314-394-2877  
Fax: 800-544-2570  
Int'l Fax: 314-527-1413

BUSSMANN U.K.  
Burton-on-the-Wolds  
Leicestershire LE12 5TH  
England  
Phone: 44-1509-882737  
Fax: 44-1509-882786

BUSSMANN DENMARK  
5 Litterbuen  
DK-2740 Skovlunde  
Copenhagen, Denmark  
Phone: 45-4485-0900  
Fax: 45-4485-0901

Bussmann reserves the right without notice to change design and/or discontinue distribution of this product.




# Semiconductor Fuse

## 500-1000A, 150 Volts

BIF Document  
**35785310**

Size



**Peak Let-Through** Cut-Off Current Characteristic Curves  
**FWA 500A-1000A**

Approved: **NN**  
Rev. Date: **SEPT-97**

Page **3 of 3**  
Pub. Date: **JAN-98**