




| |
|----------------|
| PRODUCT NUMBER |
| 70236-YYY |
| 70236-YYLF |




| PLATING IN CONTACT AREA | | |
|-------------------------|-----------------------------|-------------|
| DASH NUMBER | PERFORMANCE LEVEL | NOTES |
| -1YY | TELCORDIA CO | - |
| -2YY | TELECOM CLASS | - |
| -3YY | IEC CLASS I | - |
| -5YY | TELCORDIA UE | - |
| -1YYLF | TELCORDIA CO IEC CLASS I | SEE NOTE 10 |
| -2YYLF | TELECOM CLASS | SEE NOTE 10 |
| -5YYLF | TELCORDIA UE | SEE NOTE 10 |

| | | | | | | | | | | | |
|--------------------|-------------|----------|------------|---------------------------------------|--------|-----------------------------------|--------|------------------------|--|------------|--|
| www.fciconnect.com | | | | surface 3.200 ISO 1302 | | tolerance std ISO 406 ISO 1101 | | projection ISO 1101 | | mm | |
| | | | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | | Scale 1:10 | |
| Dr | T. BRUNGARD | 11/19/99 | ANGULAR | 0.x | ±0.3 | size | A4 | | | | |
| Eng | M. STRAWSER | 11/19/99 | LINEAR | 0.xx | ±0.13 | ECN | * | | | | |
| Chr | M. STRAWSER | 11/19/99 | 0° ±2° | 0.xxx | ±0.051 | Product family | METRAL | Spec ref | | | |
| Appr | M. STRAWSER | 02/29/00 | | | | | | | | | |
| rev | ecn no | dr | date | | | | | | | | |
| AE | V06-0498 | DCH | 2006-05-31 | | | | | | | | |
| AF | 0609-0256 | TER | 2009-08-19 | | | | | | | | |
| AG | 0610-0296 | TER | 2010-08-11 | | | | | | | | |
| AH | 0610-0306 | TER | 2010-08-24 | | | | | | | | |
| AC | V05-0385 | DAI | 04/21/05 | | | | | | | | |
| AD | V05-0796 | DAI | 08/19/05 | | | | | | | | |

| | | | | |
|--|--|--|--------------------------|-----------------------------------|
| | METRAL POWER HEADER I MOD, 4 ROW PRESS-FIT catalog no | | 70236 CUSTOMER | Rev. AH sheet 1 of 6 |
| | | | | |

PDM: Rev:AH STATUS:Released 4 Printed: Jan 17, 2011

Copyright FCI.
 FCI



| KEY | | |
|------|--------------|--------------|
| CODE | DIMENSIONS | |
| | DIM "A" MATE | DIM "B" TAIL |
| P01 | 6.50 | 4.30 |
| P02 | 7.25 | 4.30 |
| P03 | 8.00 | 4.30 |
| P04 | 6.50 | 13.60 |
| P05 | 7.25 | 13.60 |
| P06 | 8.00 | 13.60 |
| P07 | 6.50 | 17.00 |
| P08 | 7.25 | 17.00 |
| P09 | 8.00 | 17.00 |
| P16 | 5.00 | 4.30 |
| P17 | 5.75 | 4.30 |

REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

| | | | | | |
|---------------------------------------|-------------|--|-----------------------------------|--------------------------|-----------------------------------|
| www.fciconnect.com | | surface 3.200 ISO 1302 | tolerance std ISO 406 ISO 1101 | projection ISO 1101 | mm |
| TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T. BRUNGARD | 11/19/99 | ANGULAR | 0.x ±0.3 | size A4 Scale 21:10 |
| Eng | M. STRAWSER | 11/19/99 | LINEAR | 0.xx ±0.13 | |
| Chr | M. STRAWSER | 11/19/99 | 0° ±2° | 0.xxx ±0.051 | ECN * |
| Appr | M. STRAWSER | 02/29/00 | Product family | METRAL | Spec ref * |
| | | METRAL POWER HEADER I MOD, 4 ROW PRESS-FIT catalog no | | 70236 CUSTOMER | Rev. AH sheet 2 of 6 |



Copyright FCJ.

REV 7 - 2004-04-17



Copyright FCI.

| METRAL P/N | ROW | CONTACT CODE MOD. I | |
|---|-----|---------------------|-----|
| | | 1 | 2 |
| 70236-X00 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P02 | P02 |
| | B | P01 | P01 |
| | A | P03 | P03 |
| 70236-X01 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P01 | P01 |
| | B | P01 | P01 |
| | A | P01 | P01 |
| 70236-X02 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P02 | P02 |
| | B | P03 | P03 |
| | A | P03 | P03 |
| 70236-X03 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P01 | P01 |
| | B | P03 | P03 |
| | A | P01 | P01 |
| 70236-X04 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P03 | P03 |
| | B | P03 | P03 |
| | A | P03 | P03 |
| 70236-X05 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P01 | P01 |
| | B | P01 | P01 |
| | A | P03 | P03 |
| 70236-X06 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P02 | P02 |
| | B | P02 | P02 |
| | A | P01 | P01 |
| 70236-X07 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P01 | P01 |
| | B | P02 | P02 |
| | A | P03 | P03 |
| 70236-X08 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P03 | P03 |
| | B | P03 | P03 |
| | A | P03 | P03 |
| 70236-X09 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P03 | P03 |
| | B | P02 | P02 |
| | A | P02 | P02 |
| 70236-X10 SEE NOTE 11 LEAD FREE OPTION | D | P16 | P16 |
| | C | P16 | P16 |
| | B | P16 | P16 |
| | A | P16 | P16 |
| 70236-X11 SEE NOTE 11 LEAD FREE OPTION | D | P16 | P16 |
| | C | P16 | P16 |
| | B | P16 | P16 |
| | A | P01 | P01 |
| 70236-X12 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P17 | P17 |
| | B | P17 | P17 |
| | A | P01 | P01 |
| 70236-X13 SEE NOTE 11 LEAD FREE OPTION | D | P17 | P17 |
| | C | P17 | P17 |
| | B | P02 | P02 |
| | A | P17 | P17 |
| 70236-X14 SEE NOTE 11 LEAD FREE OPTION | D | P17 | P17 |
| | C | P17 | P17 |
| | B | P17 | P17 |
| | A | P17 | P17 |
| 70236-X15 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P02 | P02 |
| | B | P02 | P02 |
| | A | P02 | P02 |
| 70236-X20 SEE NOTE 11 LEAD FREE OPTION | D | P06 | P06 |
| | C | P05 | P05 |
| | B | P04 | P04 |
| | A | P06 | P06 |
| 70236-X21 SEE NOTE 11 LEAD FREE OPTION | D | P04 | P04 |
| | C | P04 | P04 |
| | B | P04 | P04 |
| | A | P04 | P04 |
| 70236-X22 SEE NOTE 11 LEAD FREE OPTION | D | P04 | P04 |
| | C | P05 | P05 |
| | B | P06 | P06 |
| | A | P06 | P06 |
| 70236-X23 SEE NOTE 11 LEAD FREE OPTION | D | P04 | P04 |
| | C | P04 | P04 |
| | B | P06 | P06 |
| | A | P04 | P04 |
| 70236-X24 SEE NOTE 11 LEAD FREE OPTION | D | P05 | P05 |
| | C | P06 | P06 |
| | B | P06 | P06 |
| | A | P06 | P06 |
| 70236-X25 SEE NOTE 11 LEAD FREE OPTION | D | P04 | P04 |
| | C | P04 | P04 |
| | B | P04 | P04 |
| | A | P06 | P06 |
| 70236-X26 SEE NOTE 11 LEAD FREE OPTION | D | P06 | P06 |
| | C | P05 | P05 |
| | B | P05 | P05 |
| | A | P04 | P04 |
| 70236-X27 SEE NOTE 11 LEAD FREE OPTION | D | P04 | P04 |
| | C | P04 | P04 |
| | B | P05 | P05 |
| | A | P06 | P06 |
| 70236-X28 SEE NOTE 11 LEAD FREE OPTION | D | P06 | P06 |
| | C | P06 | P06 |
| | B | P06 | P06 |
| | A | P06 | P06 |

| | | | | | |
|---------------------------------------|-------------|----------------------------|------------------|--------------|--------------------|
| www.fciconnect.com | | surface 3.200 | tolerance std | projection | mm |
| | | ISO 1302 | ISO 406 ISO 1101 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T. BRUNGARD | 11/19/99 | ANGULAR | 0.x ±0.3 | size A4 Scale 1:10 |
| Eng | M. STRAWSER | 11/19/99 | LINEAR | 0.xx ±0.13 | |
| Chr | M. STRAWSER | 11/19/99 | 0° ±2° | 0.xxx ±0.051 | ECN * |
| Appr | M. STRAWSER | 02/29/00 | Product family | METRAL | Spec ref * |
| | | METRAL POWER HEADER | | 70236 | Rev. AH |
| | | 1 MOD, 4 ROW PRESS-FIT | | CUSTOMER | sheet 3 of 6 |
| | | catalog no | | | |

REV 7 - 2004-04-17



Copyright FCI.

| METRAL P/N | ROW | CONTACT CODE MOD. I | |
|---|-----|---------------------|-----|
| | | 1 | 2 |
| 70236-X29 SEE NOTE 11 LEAD FREE OPTION | D | P06 | P06 |
| | C | P06 | P06 |
| | B | P05 | P05 |
| | A | P05 | P05 |
| 70236-X30 SEE NOTE 11 LEAD FREE OPTION | D | P09 | P09 |
| | C | P08 | P08 |
| | B | P07 | P07 |
| | A | P09 | P09 |
| 70236-X31 SEE NOTE 11 LEAD FREE OPTION | D | P07 | P07 |
| | C | P07 | P07 |
| | B | P07 | P07 |
| | A | P07 | P07 |
| 70236-X32 SEE NOTE 11 LEAD FREE OPTION | D | P07 | P07 |
| | C | P08 | P08 |
| | B | P09 | P09 |
| | A | P09 | P09 |
| 70236-X33 SEE NOTE 11 LEAD FREE OPTION | D | P07 | P07 |
| | C | P07 | P07 |
| | B | P09 | P09 |
| | A | P07 | P07 |
| 70236-X34 SEE NOTE 11 LEAD FREE OPTION | D | P08 | P08 |
| | C | P09 | P09 |
| | B | P09 | P09 |
| | A | P09 | P09 |
| 70236-X35 SEE NOTE 11 LEAD FREE OPTION | D | P07 | P07 |
| | C | P07 | P07 |
| | B | P07 | P07 |
| | A | P09 | P09 |
| 70236-X36 SEE NOTE 11 LEAD FREE OPTION | D | P09 | P09 |
| | C | P08 | P08 |
| | B | P08 | P08 |
| | A | P07 | P07 |
| 70236-X37 SEE NOTE 11 LEAD FREE OPTION | D | P07 | P07 |
| | C | P07 | P07 |
| | B | P08 | P08 |
| | A | P09 | P09 |
| 70236-X38 SEE NOTE 11 LEAD FREE OPTION | D | P09 | P09 |
| | C | P09 | P09 |
| | B | P09 | P09 |
| | A | P09 | P09 |
| 70236-X39 SEE NOTE 11 LEAD FREE OPTION | D | P09 | P09 |
| | C | P09 | P09 |
| | B | P08 | P08 |
| | A | P08 | P08 |
| 70236-X40 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P03 | P03 |
| | B | P02 | P02 |
| | A | P01 | P01 |
| 70236-X41 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P02 | P02 |
| | B | P02 | P02 |
| | A | P03 | P03 |
| 70236-X42 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P02 | P02 |
| | B | P03 | P03 |
| | A | P01 | P01 |
| 70236-X43 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P02 | P02 |
| | B | P03 | P03 |
| | A | P02 | P02 |
| 70236-X44 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P02 | P02 |
| | B | P03 | P03 |
| | A | P03 | P03 |
| 70236-X45 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P02 | P02 |
| | B | P02 | P02 |
| | A | P03 | P03 |
| 70236-X46 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P01 | P01 |
| | B | P01 | P01 |
| | A | P03 | P03 |
| 70236-X47 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P01 | P01 |
| | B | P01 | P01 |
| | A | P03 | P03 |
| 70236-X48 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P03 | P03 |
| | B | P01 | P01 |
| | A | P03 | P03 |
| 70236-X49 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P02 | P02 |
| | B | P02 | P02 |
| | A | P02 | P02 |
| 70236-X50 SEE NOTE 11 LEAD FREE OPTION | D | P04 | P04 |
| | C | P06 | P06 |
| | B | P05 | P05 |
| | A | P04 | P04 |
| 70236-X51 SEE NOTE 11 LEAD FREE OPTION | D | P05 | P05 |
| | C | P05 | P05 |
| | B | P05 | P05 |
| | A | P06 | P06 |
| 70236-X52 SEE NOTE 11 LEAD FREE OPTION | D | P04 | P04 |
| | C | P05 | P05 |
| | B | P06 | P06 |
| | A | P04 | P04 |
| 70236-X53 SEE NOTE 11 LEAD FREE OPTION | D | P05 | P05 |
| | C | P05 | P05 |
| | B | P06 | P06 |
| | A | P05 | P05 |

REV 7 - 2004-04-17

| | | | | | |
|---------------------------------------|-------------|---------------|----------------------------|------------|--------------|
| www.fciconnect.com | | surface 3.200 | tolerance std | projection | mm |
| | | ISO 1302 | ISO 406 ISO 1101 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T. BRUNGARD | 11/19/99 | ANGULAR | 0.x | ±0.3 |
| Eng | M. STRAWSER | 11/19/99 | LINEAR | 0.xx | ±0.13 |
| Chr | M. STRAWSER | 11/19/99 | 0° ±2° | 0.xxx | ±0.051 |
| Appr | M. STRAWSER | 02/29/00 | Product family | METRAL | Spec ref |
| | | | METRAL POWER HEADER | | 70236 |
| | | | 1 MOD, 4 ROW PRESS-FIT | | Rev. AH |
| catalog no | | | CUSTOMER | | sheet 4 of 6 |



Copyright FCI.

| METRAL P/N | ROW | CONTACT CODE MOD. I | |
|---|-----|---------------------|-----|
| | | 1 | 2 |
| 70236-X54 SEE NOTE 11 LEAD FREE OPTION | D | P05 | P05 |
| | C | P05 | P05 |
| | B | P06 | P06 |
| | A | P06 | P06 |
| 70236-X55 SEE NOTE 11 LEAD FREE OPTION | D | P06 | P06 |
| | C | P05 | P05 |
| | B | P05 | P05 |
| | A | P06 | P06 |
| 70236-X56 SEE NOTE 11 LEAD FREE OPTION | D | P05 | P05 |
| | C | P04 | P04 |
| | B | P04 | P04 |
| | A | P06 | P06 |
| 70236-X57 SEE NOTE 11 LEAD FREE OPTION | D | P06 | P06 |
| | C | P04 | P04 |
| | B | P04 | P04 |
| | A | P06 | P06 |
| 70236-X58 SEE NOTE 11 LEAD FREE OPTION | D | P05 | P05 |
| | C | P06 | P06 |
| | B | P04 | P04 |
| | A | P06 | P06 |
| 70236-X59 SEE NOTE 11 LEAD FREE OPTION | D | P05 | P05 |
| | C | P05 | P05 |
| | B | P05 | P05 |
| | A | P05 | P05 |
| 70236-X60 SEE NOTE 11 LEAD FREE OPTION | D | P07 | P07 |
| | C | P09 | P09 |
| | B | P08 | P08 |
| | A | P07 | P07 |
| 70236-X61 SEE NOTE 11 LEAD FREE OPTION | D | P08 | P08 |
| | C | P08 | P08 |
| | B | P08 | P08 |
| | A | P09 | P09 |
| 70236-X62 SEE NOTE 11 LEAD FREE OPTION | D | P07 | P07 |
| | C | P08 | P08 |
| | B | P09 | P09 |
| | A | P07 | P07 |
| 70236-X63 SEE NOTE 11 LEAD FREE OPTION | D | P08 | P08 |
| | C | P08 | P08 |
| | B | P09 | P09 |
| | A | P08 | P08 |
| 70236-X64 SEE NOTE 11 LEAD FREE OPTION | D | P08 | P08 |
| | C | P08 | P08 |
| | B | P09 | P09 |
| | A | P09 | P09 |
| 70236-X65 SEE NOTE 11 LEAD FREE OPTION | D | P09 | P09 |
| | C | P08 | P08 |
| | B | P08 | P08 |
| | A | P09 | P09 |
| 70236-X66 SEE NOTE 11 LEAD FREE OPTION | D | P08 | P08 |
| | C | P07 | P07 |
| | B | P07 | P07 |
| | A | P09 | P09 |
| 70236-X67 SEE NOTE 11 LEAD FREE OPTION | D | P09 | P09 |
| | C | P07 | P07 |
| | B | P07 | P07 |
| | A | P09 | P09 |
| 70236-X68 SEE NOTE 11 LEAD FREE OPTION | D | P08 | P08 |
| | C | P09 | P09 |
| | B | P07 | P07 |
| | A | P09 | P09 |
| 70236-X69 SEE NOTE 11 LEAD FREE OPTION | D | P08 | P08 |
| | C | P08 | P08 |
| | B | P08 | P08 |
| | A | P08 | P08 |
| 70236-X70 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P01 | P01 |
| | B | P02 | P02 |
| | A | P02 | P02 |
| 70236-X80 SEE NOTE 11 LEAD FREE OPTION | D | P04 | P04 |
| | C | P04 | P04 |
| | B | P05 | P05 |
| | A | P05 | P05 |
| 70236-X90 SEE NOTE 11 LEAD FREE OPTION | D | P07 | P07 |
| | C | P07 | P07 |
| | B | P08 | P08 |
| | A | P08 | P08 |
| 70236-X91 SEE NOTE 11 LEAD FREE OPTION | D | P16 | P16 |
| | C | P16 | P16 |
| | B | P01 | P01 |
| | A | P16 | P16 |
| 70236-X92 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P01 | P01 |
| | B | P03 | P03 |
| | A | P01 | P01 |
| 70236-X93 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P03 | P03 |
| | B | P01 | P01 |
| | A | P03 | P03 |
| 70236-X94 SEE NOTE 11 LEAD FREE OPTION | D | P16 | P16 |
| | C | P01 | P01 |
| | B | P01 | P01 |
| | A | P01 | P01 |
| 70236-X95 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P02 | P02 |
| | B | P01 | P01 |
| | A | P01 | P01 |
| 70236-X96 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P02 | P02 |
| | B | P17 | P17 |
| | A | P03 | P03 |

| | | | | | |
|---------------------------------------|-------------|---------------|------------------|------------------------|----------|
| www.fciconnect.com | | surface 3.200 | tolerance std | projection | mm |
| | | ISO 1302 | ISO 406 ISO 1101 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED | | | | | |
| Dr | T. BRUNGARD | 11/19/99 | ANGULAR | 0.x | ±0.3 |
| Eng | M. STRAWSER | 11/19/99 | LINEAR | 0.xx | ±0.13 |
| Chr | M. STRAWSER | 11/19/99 | 0° ±2° | 0.xxx | ±0.051 |
| Appr | M. STRAWSER | 02/29/00 | Product family | METRAL | Spec ref |
| | | | | METRAL POWER HEADER | |
| | | | | 1 MOD, 4 ROW PRESS-FIT | |
| | | | | catalog no | |
| | | | | 70236 | |
| | | | | CUSTOMER | |
| | | | | Rev. AH | |
| | | | | sheet 5 of 6 | |

REV 7 - 2004-04-17



Copyright FCI.

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | |
|--|-----|---------------------|-----|
| | | 1 | 2 |
| 70236-X97 SEE NOTE 11 LEAD FREE OPTION | D | P01 | P01 |
| | C | P03 | P03 |
| | B | P03 | P03 |
| | A | P02 | P02 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | |
|--|-----|---------------------|-----|
| | | 1 | 2 |
| 70236-X98 SEE NOTE 11 LEAD FREE OPTION | D | P02 | P02 |
| | C | P03 | P03 |
| | B | P03 | P03 |
| | A | P01 | P01 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | |
|--|-----|---------------------|-----|
| | | 1 | 2 |
| 70236-X99 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P16 | P16 |
| | B | P16 | P16 |
| | A | P16 | P16 |

| METRAL P/N | ROW | CONTACT CODE MOD. 1 | |
|---|-----|---------------------|-----|
| | | 1 | 2 |
| 70236-X100 SEE NOTE 11 LEAD FREE OPTION | D | P03 | P03 |
| | C | P16 | P16 |
| | B | P16 | P16 |
| | A | P03 | P03 |



NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
70236 -XYX IS SnPb
70236 -XYLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXX-XXXP OR XXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- A PLATING HAS Au FLASH IN PRESS FIT AREA (LEAD FREE).
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX. EXAMPLE: 70236-X01LF
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

| | | | | |
|------------------------|-------------|---------------------------------------|-----------------------------------|------------------|
| www.fciconnect.com | | surfaces 3.200 ISO 1302 | tolerance std ISO 406 ISO 1101 | projection mm |
| | | TOLERANCES UNLESS OTHERWISE SPECIFIED | | mm |
| Dr | T. BRUNGARD | 11/19/99 | ANGULAR | LINEAR |
| Eng | M. STRAWSER | 11/19/99 | 0.x | ±0.3 |
| Chr | M. STRAWSER | 11/19/99 | 0.xx | ±0.13 |
| Appr | M. STRAWSER | 02/29/00 | 0.xxx | ±0.051 |
| Product family | | METRAL | | Spec ref |
| FCI | | METRAL POWER HEADER | | no. Eng |
| I MOD, 4 ROW PRESS-FIT | | 70236 | | Rev. |
| catalog no | | CUSTOMER | | sheet 6 of 6 |

REV 7 - 2004-04-17