




PRODUCT NUMBER
89009-XYX
89009-XYXLF



mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ	
lfr	ecm no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
S	V06-0573	DCH	2006-06-14		0.XX ±0.13	projection		title	
T	DG09-0256	TER	2009-08-19		.XXX ±.051	MM		METRAL SIGNAL HEADER	
-	-	-	-	angles	0° ±2°	MM		8 MOD, 5 ROW PRESS-FIT	
M	V03-1321	DAI	01/15/04	dr	T.BRUNGARD	11/19/99	product family	METRAL	code
N	V04-0459	LP	5/25/04	engr	M.STRAWER	11/19/99	size	dwg no	213
P	V04-1100	LP	5/25/04	chr	M.STRAWER	11/19/99	scale	89009	sheet
R	V05-0667	TAB	7/15/05	oppd	M.STRAWER	02/29/00	2:1	A	1 of 25
sheet index	revision	T	T						
	sheet	I	25						



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

REV E - 2006-04-18

Pro/E

PDM: Rev:T


STATUS:Released

Printed: Feb 20, 2010

code code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



REQUIRED PC BOARD LAYOUT  
COMPONENT SIDE  
SEE PRINT 58351 FOR  
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
16	7.00	4.30
17	7.00	13.60
18	7.00	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ		www.fcjconnect.com	
ltr	ecm no.	dr	date	linear	0.X ±0.3	projection	COPY	title			
T					0.XX ±0.13	MM		METRAL SIGNAL HEADER			
				angles	.XXX ±.051	MM		8 MOD, 5 ROW PRESS-FIT			
				dr	° ±2°	MM		product family		METRAL	
				engr	T.BRUNGARD 11/19/99	MM		size		dwg no	
				chr	M.STRAWSER 11/19/99	MM		A		89009	
				oppd	M.STRAWSER 02/29/00	MM		scale		213	
				sheet index		MM		1:1		2	
				revision sheet		MM		A		?	
						MM		code code		22526	

REV E - 2006-04-18

PDM: Rev:T STATUS:Released Printed: Feb 20, 2010



















































1 | 2

3 |

4

PRODUCT NUMBER
89009-YYY
89009-XYLFF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL  
POLYMER 30 % GLASS.  
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:  
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:  
89009-YYY IS SnPb  
89009-XYLFF IS SN (LEAD FREE)  
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING:  
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP
- PRODUCT SPECIFICATION GS-12-180  
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

- 10 FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX. EXAMPLE: 89008-XOILF
- 11 -YYY PLATIN HAS Au FLASH IN PRESS-FIT AREA (LEAD FREE).

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-Ayy	TELCORDIA CO	SEE NOTE 11
-NIyy	TELCORDIA CO (NXT)	-
-N5yy	TELCORDIA UE (NXT)	-
-Iyy	TELCORDIA CO	-
-2yy	TELECOM CLASS	-
-3yy	IEC CLASS I	-
-5yy	TELCORDIA UE	-
-NIYyLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YyLF	TELCORDIA UE (NXT)	SEE NOTE 9
-IYyLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YyLF	TELECOM CLASS	SEE NOTE 9
-5YyLF	TELCORDIA UE	SEE NOTE 9

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

mat'l code		--	tolerances unless otherwise specified		CUSTOMER		FCJ	
lfr	ecm no.	dr	date	linear	0.X ±0.3	COPY	www.fcjconnect.com	
T				angles	0.XX ±0.13	projection	title	
					.XXX ±.051		METRAL SIGNAL HEADER	
				dr	0° ±2°	MM	8 MOD, 5 ROW PRESS-FIT	
				eng	T.BRUNGARD 11/19/99	product family	METRAL	
				chr	M.STRAWER 11/19/99	size	code	
				appd	M.STRAWER 02/29/00	dwg no	213	
sheet	revision				scale	A	89009	
index	sheet				1:1		sheet	
							25	



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

REV E - 2006-04-18

1 | 2

3 |

4

Pro/E

code code 22526

PDM: Rev:T STATUS:Released Printed: Feb 20, 2010