






PC BOARD VERSIONS		
PRODUCTNR	PCB THICKNESS	DIM'A*
89035-X01	1,6	2,90
89035-X11	2,4	3,53
89035-X01LF	1,6	2,90
89035-X11LF	2,4	3,53



- NOTES:
- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
 - FLAME RETARDANT ACC. UL 94-V0
 - TERMINAL MATERIAL: PHOSPHOR BRONZE.
 - PLATING SOLDER TAILS 2-8 μm SnPb 90-97 OR 2-8 μm PURE Sn FOR LEAD FREE.
 - INDICATED HOLES ARE UNPLATED.
 - PRODUCT MARKING: PART NUMBER & BATCH ID.
 - THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
 - THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.







PLATING CONTACT AREA:

DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code	tolerances unless otherwise specified	CUSTOMER COPY	FCI
lin ecn mgar date	linear	projection	www.fciconnection
H 306-001 01 01/20		1st angle	title RA FEMALE SIGNAL
J 306-001 01 11/23/06			12 mm PRESS PEG
K 307-001 01 05/23/07			product Family METRAL(™)
L 308-001 01 02/08			code 89035
M 309-001 01 06/06/09			sheet 1 of 3
G 08847 01 00/20			
sheet revision M H N			
index sheet 1 2 3			

All rights are reserved. Reproduction or translation without prior written permission is prohibited. Property of FCI Inc. © FCI Inc.

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM*A
89035-X02	1,6	2,90
89035-X12	2,4	3,53
89035-X02LF	1,6	2,90
89035-X12LF	2,4	3,53








- NOTES:
- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
 - TERMINAL MATERIAL: PHOSPHOR BRONZE.
 - PLATING SOLDER TAILS 2-8 μ m SnPb 90-97 OR 2-8 μ m PURE Sn
 - INDICATED HOLES ARE UNPLATED.
 - PRODUCT MARKING: PARTNUMBER & BATCH ID.
 - SET BACK FOR PRESS BLOCK.
 - TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD.
 - THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
 - THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:

DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code	tolerances unless otherwise specified	CUSTOMER COPY	FCI
l	linear	projection	title RA FEMALE SIGNAL
x	angles	mm	product family METRAL(tn)
dr	dr	scale	code 213
engr	chr	scale 5:1	sheet 2 of 2
app	app		
sheet	revision		
index	sheet		

PC BOARD VERSIONS		
PRODUCT NR.	PCB THICKNESS	DIM "A"
89035-X03	1,6	2,90
89035-X13	2,4	3,53
89035-X03LF	1,6	2,90
89035-X13LF	2,4	3,53



- NOTES:
- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
 - TERMINAL MATERIAL: PHOSPHOR BRONZE.
 - PLATING SOLDER TAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn FOR LEAD FREE.
 - INDICATED HOLES ARE UNPLATED.
 - PRODUCT MARKING: PART NUMBER & BATCH ID.
 - THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-009
 - THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:

DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI			
l	tr	ec	nd	ar	date	linear	projection	title	RA FEMALE SIGNAL
1	1	1	1	1	1	1	1	12 mm PRESS PEG	
angles	mm	mm	mm	mm	mm	mm	mm	product family	METAL(tm)
dr	Heaven Cm	11/23/06	scale	A2	89035	sheet	3 of 3	code	213
engr	Colin Lu	11/23/06	scale	51	89035	sheet	3 of 3	code	213
chr	Ber Fu	11/23/06	scale	51	89035	sheet	3 of 3	code	213
app	Joseph Hsk	11/23/06	scale	51	89035	sheet	3 of 3	code	213
sheet	revision	index	sheet						