Resources

My Account Customer Support

Home > Products > By Type > PolySwitch Resettable Devices > Product Feature Selector > Product Details

# SMD150F/33-2 Product Details



## SMD150F/33-2

Raychem Part Number: E07221-000 

# PolySwitch Resettable Devices

Always EU RoHS/ELV Compliant (Statement of Compliance)

## **Product Highlights:**

- Surface Mount Application
- Family Name = SMD
- Surface Mount Construction
- IH (Room Temperature) = 1.5 Amps.
- IT (Room Temperature) = 3.00 Amps.

View all Features

# **Quick Links**

Check Pricing & <u>Availability</u> Search for Tooling <u>Product Feature</u> Selector Contact Us About This Product

## **Documentation & Additional Information**

## **Product Drawings:**

• SMD150F/33 (PDF, English)

### Catalog Pages/Data Sheets:

· None Available

#### **Product Specifications:**

None Available

# **Application Specifications:**

None Available

#### **Instruction Sheets:**

None Available

#### CAD Files:

• None Available

#### Additional Information:

• Product Line Information

#### Related Products:

Tooling

# Product Features (Please use the Product Drawing for all design activity)

# **Product Type Features:**

UL Recognized = 191099-E74889

# **Electrical Characteristics:**

- IH (Room Temperature) (Amps.) = 1.5
- IT (Room Temperature) (Amps.) = 3.00
- <u>Vmax Operating (V)</u> = 33
- Rmin(?) = 0.08
- R1 Max [Post Trip] (?) = 0.23
- <u>UL Rated Current (Amps.)</u> = 40
- Tripped Power Dissipation (Typical) (W) = 1.90

## **Termination Related Features:**

• Construction = Surface Mount

# **Body Related Features:**

• CSA File No. = 1031175 (CA 78165-1)

#### **Contact Related Features:**

• Family Name = SMD

## **Configuration Related Features:**

- Form Factor (inches) = 3425
- <u>Form Factor (mm)</u> = 8763

## **Industry Standards:**

List all Documents

- RoHS/ELV Compliance = RoHS compliant, ELV
- <u>Lead Free Solder Processes</u> = Reflow solder capable to 245°C, Reflow solder capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS compliant
- TUV Certificate No. = R72041427

## Conditions for Usage:

• Operating Temperature (Max.) (°C) = 85

# Operation/Application:

Application = Surface Mount

## Packaging Related Features:

• Packaging Method = Tape & Reel

## Other:

• Brand = Raychem

Provide Website Feedback | Contact Customer Support