

SAW Components

Data Sheet B3589





Data Sheet


Features

- Low loss RF filter for wireless audio application
- Low amplitude ripple
- High image frequency suppression
- No matching network required for operation at
- Package for Surface Mounted Technology (SMT)

Terminals

■ Ni, gold-plated


Ceramic package QCC8B



Dimensions in mm, approx. weight 0,07 g

Pin configuration

- 2 Input
- 1,3 Input Ground
- 6 Output
- 5,7 Output Ground
- 4,8 to be grounded



Туре	Ordering code	Marking and Package	Packing		
		according to	according to		
B3589	B39861-B3589-Z810	C61157-A7-A46	F61074-V8037-Z000		

Electrostatic Sensitive Device (ESD)

Maximum ratings

Operable temperature range	T	0/+40	°C	
Storage temperature range	$T_{\rm stg}$	-40/+85	°C	
DC voltage	$V_{\rm DC}$	0	V	
Source power	P_{S}	0	dBm	source impedance 50 Ω



Data Sheet

Characteristics


Operating temperature range: $T=0 \dots 40 \,^{\circ} \text{C}$ Terminating source impedance: $Z_{\text{S}}=50 \,\Omega$ Terminating load impedance: $Z_{\text{L}}=50 \,\Omega$

		min.	typ.	max.	
Center frequency	f _C	_	864,00	_	MHz
Maximum insertion attenuation					
862,50 865,50 MHz		_	4,0	6,0	dB
Amplitude ripple	$\Delta \alpha$				
862,50 865,50 MHz		_	1,5	2,5	dB
Relative attenuation (relative to α_{max})					
841,60 843,60 MHz		40,0	44,0	_	dB
852,30 853,30 MHz		30,0	38,0	_	dB
Temperature coefficient of frequency		_	-30	_	ppm/K




Data Sheet

Transfer function



Transfer function (wideband)





Data Sheet

Published by EPCOS AG Surface Acoustic Wave Components Division, SAW CE AE P.O. Box 80 17 09, 81617 Munich, GERMANY

©.EPCOS AG 2002. Reproduction, publication and dissemination of this brochure and the information contained therein without EPCOS' prior express consent is prohibited.

Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

This brochure replaces the previous edition.

For questions on technology, prices and delivery please contact the Sales Offices of EPCOS AG or the international Representatives.

Due to technical requirements components may contain dangerous substances. For information on the type in question please also contact one of our Sales Offices.