Home > Products > Bv Type > Removable Memory Products - > Product Feature Selector - > Product Details

5788643 -1 Product Details



5788643



Removable Memory Products

Always EU RoHS/ELV Compliant (Statement of Compliance

Product Highlights:

- Number of Positions = 50
- Format = CompactFlash™
 CompactFlash™ Product Type =
- Header Only
- Header Type = Type I, Type II
- Lead Type = Surface Mount Staggered leads

View all Features | Find Similar **Products**

Live Product Chat

Quick Links

Check Pricing & Availability Search for Tooling Product Feature Selector Contact Us About This Product

Documentation & Additional Information

Product Drawings:

- PIN HEADER ASSEMBLY, VERTICAL, 50 POSITION, SURFACE (PDF, English)
- ASSY, 1.00MM FFC CONN SMT, V (NON -ZIF) (TIF, English)

Catalog Pages/Data Sheets:

Product Specifications:

Application Specifications:

None Available

Instruction Sheets:

None Available

CAD Files: (CAD Format & Compression Information 2D Drawing (DXF, Version O)

- ? 3D Model (IGES, Version O)
- 2 3D Model (STEP, Version O)

List all Documents

Product Type Features:

Product Features

- ? Number of Positions
- ? Mount Angle = Vertical
- ? Holddowns = Without ? Shielded = No
- ? Color = Black

Mechanical Attachment:

? Mounting Style = Top (Printed Circuit Board)

Termination Related Features:

? Solder Tail Contact Plating = Tin

Body Related Features:

- ? CompactFlash™ Product Type = Header Only
- ? Header Type = Type I, Type II
- ? Lead Type = Surface Mount - Staggered leads
- PCB Offset (mm [in]) = 0.00 [0.000]
- ? Number of Rows = Dual
- ² Centerline (mm [in]) = 1.27 [0.050]

Contact Related Features:

- ? Contact Mating Area Plating Material = Gold
- ? Vacuum Tape = Without
- ? Region = Americas
- ? Contact Material = Brass
- ? Contact Underplating = Nickel (50)

Related Products:

? Tooling

Housing Related Features:

- Housing Material = Liquid Crystal Polymer (LCP)
- ? Housing Flammability Rating = UL 94V -0

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Reflow solder capable to 245°C, Reflow solder capable to
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

Format = CompactFlash™

Packaging Related Features:

Packaging Method = Tube

Other:

Brand = AMP