






PRODUCT NO.
92794

REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
A	RELEASED	030101	R.T.	4/29/79
B	REVISED	050065	W.K.	6/27/79

PRODUCT NO. 92794-XXX	STAND OFF MATCHING (DIM "M" mm)	GUIDE ASSY 92791-XXX	HDR ASSY 92140-XXX	HDR COLOR	SHEET NO.	MOUNT STYLE TO PCB
000	0	001	005	BLACK	NO.2	
020	2	001	045	BLACK	NO.3	
500	0	001	505	NATURAL	NO.4	
520	2	001	545	NATURAL	NO.5	




SHEET INDEX	ISSUE	B	B	B	B	B																
	SH NO.	1	2	3	4	5																
TOLERANCES UNLESS OTHERWISE SPECIFIED													MAT	OR	S. Amada	1/17/79	CUSTOMER COPY	BERG ELECTRONICS GBP LONG HEADER TYPE I / II / III (FOR UPPER WITH EM CLIP) SCALE: SIZE TYPIC. NO. 92794 SHEET B 1 of 5				
LINEAR													FRESH	CHK	W. K.	6/27/79	UNIT					


DO NOT SCALE. PRINT THE INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN BERG PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM BERG ELECTRONICS JAPAN S.R.L. ANGLES

PRODUCT NO.
92794-000

REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
A	RELEASED	J30101	N.T	12/16/93
B	REVISED	J50095	M.K	12/17/95



- NOTE
- ASSY PROCESS TO ASSY AFTER SETTING THIS HDR ONTO APPLICABLE HDR FOR LOWER DECK.
 - MATERIAL
 - PART (1) (HEADER ASSY)
 - PLASTIC : HOUSING --- LCP UL94V-0 BLACK
 - LOCATOR --- G.F.6/6 NYLON UL94V-0 BALCK
 - PIN : PHOSPHOR BRONZE
 - PART (2) (GUIDE ASSY)
 - PLASTIC : GUIDE --- POLYPHTHARAMID UL94V-0 BALCK
 - COVER PLATE : STAINLESS
 - EMI CONTACT : PHOSPHOR BRONZE
 - FINISH (FIN)
 - UNDER PLATING : 0.5 μm MIN. Ni
 - CONTACT AREA : 0.1 μm MIN. Au OVER 0.5 μm MIN. Pd-Ni
 - SOLDER TAIL : 2.5 μm MIN. Sn-Pb
 - DIM "L"
- | | | |
|----------|---------|---------|
| 4.25±0.1 | 3.5±0.1 | 5.0±0.1 |
| OTHERS | 36.67 | 33.0mm |
- GENERAL TOLERANCE : ±0.3
 - SEE SHEET 1. REGARDING COMPONENTS.






SHEET INDEX	ISSUE SH. NO.	TOLERANCES UNLESS OTHERWISE SPECIFIED		MAT	DR	CHK	CUSTOMER COPY	TITLE
					<i>J. Orlandi</i>	4/17/95		68P LONG HEADER TYPE I/B/III (FOR UPPER WITH EMI CLIP)
					<i>M. Kojima</i>	5/14/95		
					<i>K. Sasaki</i>	7/17/95		
								SCALE: SIZE: DIMS: UNITS: 2/1 C 92794 B 2or



92-0000 REV. C
DO NOT SCALE. PRINT THE INFORMATION IS CONFIDENTIAL, AND IS DECLARED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN BERG PERSONNEL WITHOUT WRITTEN APPROXIMATION FROM BERG ELECTRONICS JAPAN, L.P.

PRODUCT NO.
92794-020

REVISIONS				
REV	DESCRIPTION	ECH	BY	DATE
A	RELEASED	J30181	RLT	4/18/93
B	REVISED	J20085	MLK/11/79	



NOTE

- ASSY PROCESS TO ASSY AFTER SETTING THIS HDR ONTO APPLICABLE HDR FOR LOWER DECK.
- MATERIAL
 - PART ①. (HEADER ASSY)
 PLASTIC : HOUSING --- LCP UL94V-0 BLACK
 : LOCATOR --- G.F.6/6 NYLON UL94V-0 BALCK
 PIN : PHOSPHOR BRONZE
 - PART ②. (GUIDE ASSY)
 PLASTIC : GUIDE --- POLYPHTHARAMID UL94V-0 BALCK
 COVER PLATE : STAINLESS
 EMI CONTACT : PHOSPHOR BRONZE
- FINISH (PIN)
 UNDER PLATING : 0.5 μm MIN. Ni
 CONTACT AREA : 0.1 μm MIN. Au OVER 0.5 μm MIN. Pd-Ni
 SOLDER TAIL : 2.5 μm MIN. Sn-Pb
- DIM "L"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36.67	31.0
- GENERAL TOLERANCE : ±0.3
- SEE SHEET 1. REGARDING COMPONENTS.

02-0000, REV. C
DO NOT SCALE PRINT THE INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN BERG PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM BERG ELECTRONICS JAPAN L.L.C.

SHEET INDEX	ISSUE	SH. NO.	DATE	BY	CUSTOMER COPY
	TOLERANCES UNLESS OTHERWISE SPECIFIED				
	LINEAR				



BERG ELECTRONICS

68P LONG HEADER TYPE 1/II/III (FOR UPPER WITH EMI CLIP)

SCALE: SIZE DIM: INC. 2/1 C 92794 1/3 of 3

PRODUCT NO.
92794-500

REVISIONS				
REV	DESCRIPTION	ECH	BY	DATE
A	RELEASED	J30101	NLT	4/28/93
B	REVISED	J50095	MLG	4/27/95




NOTE

- ASSY PROCESS TO ASSY AFTER SETTING THIS HDR ONTO APPLICABLE HDR FOR LOWER DECK.
- MATERIAL
 - PART ① (HEADER ASSY)
 - PLASTIC : HOUSING---LCP UL94V-0 NATURAL
 - LOCATOR---G.F.6/6 NYLON UL94V-0 BALCK
 - PIN : PHOSPHOR BRONZE
 - PART ② (GUIDE ASSY)
 - PLASTIC : GUIDE-----POLYPHTHARAMID UL94V-0 BALCK
 - CORNER PLATE : STAINLESS
 - EMI CONTACT : PHOSPHOR BRONZE
- FINISH (PIN)
 - UNDER PLATING : 0.5 μm MIN. Ni
 - CONTACT AREA : 0.1 μm MIN. Au OVER 0.5 μm MIN.Pd-Ni
 - SOLDER TAIL : 2.5 μm MIN. Sn-Pb
- DM "L"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36.67	1.125
		±0.1mm

- GENERAL TOLERANCE : ±0.3
- SEE SHEET 1. REGARDING COMPONENTS.



SHEET INDEX	ISSUE SH. NO.	DATE	BY	CUSTOMER COPY
		1/17/95	J. Casade	
		1/17/95	M. Casade	
		1/17/95	M. Casade	

BERG ELECTRONICS



68P LONG HEADER TYPE V/B/III (FOR UPPER WITH EMI CLIP)

SCALE: SIZE DIM: INC. UNIT: 2/1 C 92794 B 4 of 4

92-0000 REV. C
DO NOT SCALE. PRINT THIS INFORMATION IS CONFIDENTIAL AND IS DECLARED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN BERG PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM BERG ELECTRONICS. APPRO. 4.4 ANGLES

PRODUCT NO.
92794-520


REVISIONS				
REV	DESCRIPTION	ECN	BY	DATE
A	RELEASED	J30101	N.T.	4/14/75
B	REVISED	J50085	N.L.	4/17/76



NOTE

- ASSY PROCESS TO ASSY AFTER SETTING THIS HDR ONTO APPLICABLE HDR FOR LOWER DECK.
- MATERIAL
 - PART ① (HEADER ASSY)
 - PLASTIC : HOUSING --- LCP UL94V-0 NATURAL
 - LOCATOR --- G.F.6/6 NYLON UL94V-0 BALCK
 - PIN : PHOSPHOR BRONZE
 - PART ② (GUIDE ASSY)
 - PLASTIC : GUIDE --- POLYPHTHARAMID UL94V-0 BALCK
 - CORNER CONTACT : STAINLESS
 - EMI CONTACT : PHOSPHOR BRONZE
- FINISH (PIN)
 - UNDER PLATING : 0.5 μm MIN. Ni
 - CONTACT AREA : 0.1 μm MIN. Au OVER 0.5 μm MIN. Pd-Ni
 - SOLDER TAIL : 2.5 μm MIN. Sn-Pb
- DIM "L"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36.67	33.33
- GENERAL TOLERANCE : ±0.3
- SEE SHEET 1, REGARDING COMPONENTS.



SHEET INDEX	ISSUE	SH NO.	DATE	CUSTOMER COPY
	TOLERANCES UNLESS OTHERWISE SPECIFIED		DATE 4/17/75	
	SEE NOTE ①	DR S. Cavada		
	SEE NOTE ②	CHK M. Kojima	4/17/75	
	SEE NOTE ③	APPV J. Kojima	5/19/75	

BERG ELECTRONICS

TITLE: 68B LONG HEADER TYPE I/B/III (FOR UPPER WITH EMI CLIP)

SCALE: SIZE TYPIC. NO. 2/1 C 92794 B 50"

DO NOT SCALE PRINTED DIMENSIONS ARE CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN BEING PROVIDED, WITHOUT WRITTEN AUTHORIZATION FROM BERG ELECTRONICS JAPAN S.A. ANGLES