





T1/E1/CEPT/ISDN-PRI TRANSFORMER

Quad Port SMT Transformer/Choke Modules, 1500 Vrms, Extended Temperature Range



-  Optimized for enhanced EMC performance
-  Quad Port SMT package contains transformers with Optional Common Mode Chokes on both transmit and receive channels
-  Extended temperature range
-  Isolation Voltage: 1500Vrms

Electrical Specifications @ 25°C — Operating Temperature -40°C to +85°C




Part Number		Turns Ratio (Pri:Sec ±2%)		Line Side OCL (mH MIN)	C _{w/w} (pF MAX)	Primary Pins	
w/CMC	wo/CMC	TX	RX			TX	RX
TX1263	TX1262	1:2	1:2	1.2	35	1-2, 6-7, 11-12, 16-17	3-4, 8-9, 13-14, 18-19
TX1267	TX1266	1:2	1:1	1.2	35	1-3, 6-8, 11-13, 16-18	4-5, 9-10, 14-15, 19-20

NOTES: 1. Other Transformer/Choke Modules available. Please contact Pulse Applications Engineering. Please refer to data sheet T622 for a list of additional Octal Transformers without Common Mode Chokes. 2. RoHS-6 compliant parts can be ordered by adding an "NL" suffix to the part number (i.e. TX1263 becomes TX1263NL)

Mechanical

Schematic

TX1263/67



Weight5.0 grams
Tape & Reel.....250/reel

Dimensions: $\frac{\text{Inches}}{\text{mm}}$
Unless otherwise specified, all tolerances are $\pm .040$

T1/E1/CEPT/ISDN-PRI TRANSFORMER





Quad Port SMT Transformer/Choke Modules, 1500 Vrms, Extended Temperature Range



Mechanical

Schematic

TX1262/66



Weight4.0 grams
Tape & Reel.....250/reel

Dimensions: Inches
mm
Unless otherwise specified, all tolerances are ± .0±0

For More Information:

Pulse Worldwide Headquarters
12220 World Trade Dr.
San Diego, CA 92128
U.S.A.
www.pulseeng.com

Pulse European Headquarters
Einsteinstrasse 1
D-71083 Herrenberg
Germany

Pulse China Headquarters
B402, Shenzhen Academy of
Aerospace Technology Bldg.
10th Kejinan Rd.
High-Tech Zone
Nanshan District
Shenzhen, PR China 518057

Pulse North China
Room 1503
XinYin Building
No. 888 YiShan Rd.
Shanghai 200233
China

Pulse South Asia
150 Kampong Ampat
#07-01/02
KA Centre
Singapore 368324

Pulse North Asia
No. 26
Kao Ching Rd.
Yang Mei Chen
Taoyuan Hsien
Taiwan, R. O. C.
32667

TEL: 858 674 8100
FAX: 858 674 8262

TEL: 49 7032 7806 0
FAX: 49 7032 7806 12

TEL: 86 755 33966678
FAX: 86 755 33966700

TEL: 86 21 32181071
FAX: 86 21 32181396

TEL: 65 6287 8998
FAX: 65 6280 0080

TEL: 886 3 4643715
FAX: 886 3 4641911

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2008. Pulse Engineering, Inc. All rights reserved.

www.pulseeng.com

T682.C (3/08)