





VDSL LINE TRANSFORMERS

For Use with Ikanos Chipset



-  Matched to Ikanos SmartLeap chipset
-  Both versions designed to meet IEC950 operational or supplementary insulation requirements for working voltages up to 250Vrms
-  Compact industry standard surface mount footprint
-  Extended temperature range


Electrical Specifications @ 25°C — Operating Temperature -40°C to +85°C

RoHS-5 Compliant Part No.	RoHS-6 Compliant Part No.	Turns Ratio (Line:Chip)	OCL Line ($\mu\text{H} \pm 7\%$)	Leakage Inductance ($\mu\text{H} \text{ MAX}$)	Insertion Loss @80kHz to 12.5 MHz (dB MAX)	THD @ 80kHz, 4Vp-p (dB MIN)	Hi-Pot (Vrms)
BX4052W	—	3:1	220	1.0	1.30	-80	1500
BX4082W	BX4082WNL						
BX4090WA	BX4090WANL	3.5:1	200	1.0	1.30	-80	1500
BX4091WA	BX4091WANL						



NOTES: BX4052W and BX4091WA are the supplementary insulation versions as per IEC950 for working voltage up to 250Vrms.
 BX4082W and BX4090WA are the operational insulation versions as per IEC950 for working voltage up to 250Vrms.
 Optional Tape & Reel packaging can be ordered for either part by adding a "T" suffix to the part number (ex: BX4082WT or BX4082WNLT).

Mechanical

Schematic



SUGGESTED PAD LAYOUT



Weight 1.8 grams
 Tape & Reel300/reel
 Tray95/tray

Dimensions: Inches
 mm
 Unless otherwise specified,
 all tolerances are \pm .010
 0,25

For More Information:

Pulse Worldwide Headquarters	Pulse Northern Europe	Pulse Southern Europe	Pulse China Headquarters	Pulse North China	Pulse South Asia	Pulse North Asia
12220 World Trade Drive San Diego, CA 92128 U.S.A. www.pulseeng.com TEL: 858 674 8100 FAX: 858 674 8262	3 Huxley Road Surrey Research Park Guildford, Surrey GU2 5RE United Kingdom TEL: 44 1483 401700 FAX: 44 1483 401701	Zone Industrielle F-39270 Orgelet France TEL: 33 3 84 35 04 04 FAX: 33 3 84 25 46 41	No. 1 Industrial District Changan, Dongguan China TEL: 86 769 85538070 FAX: 86 769 85538870	Room 1503 XinYin Building No. 888 YiShan Road Shanghai 200233 China TEL: 86 21 54643211/2 FAX: 86 21 54643210	150 Kampong Ampat #07-01/02 KA Centre Singapore 368324 TEL: 65 6287 8998 FAX: 65 6280 0080	No. 26 Kao Ching Road Yang Mei Chen Taoyuan Hsien Taiwan, R. O. C. TEL: 886 3 4641811 FAX: 886 3 4641911

Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners.
 © Copyright, 2006. Pulse Engineering, Inc. All rights reserved.

www.pulseeng.com

B831.C (6/06)