


559572-3 Product Details

Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri



559572-3

TE Part Number: 559572-3

Obsolete

[Add to Part List](#)
[Contact Product Information Center](#)

Fiber Optic Distribution Products

[Not reviewed for RoHS Compliance](#)

Product Highlights:

- Termination & Distribution Unit (ATDU)
- Singlemode
- Preloaded
- Fiber Optic Connector Style = SC APC
- Fiber Optic Connector Type = Simplex

[View all Features](#) | [Find Similar Products](#)

Quick Links

- ▶ [Check Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- None Available

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Additional Information:

- [Product Line Information](#)

Related Products:

- [Tooling](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- [Product Type](#) = Termination & Distribution Unit (ATDU)
- Fiber Optic Connector Style = SC APC
- [Fiber Optic Connector Type](#) = Simplex
- [Number of Ports](#) = 72
- Material = Steel

Mechanical Attachment:

- [Preloaded](#) = Yes

Termination Related Features:

- [Mode](#) = Singlemode
- [Adapter Plate Type](#) = Snap-In
- Adapter Plate Size = 1.15 x 5.10
- Label = With

Body Related Features:

- [Number of Loaded Adapter Plates](#) = 8
- Enclosure Dimensions = 7 x 17 x 12
- Number of Receptacles = 48
- [Number of Fiber Count](#) = 48
- [NETCONNECT Select System](#) = No
- Return Loss (dB) = -65
- Loaded Adapter Part No. = 559517-2

Configuration Related Features:

- Cable Assembly Length (M [ft]) = 15.00 [49.212]

Industry Standards:

- [RoHS/ELV Compliance](#) = Not reviewed for ELV/RoHS compliance
- [Lead Free Solder Processes](#) = Not reviewed for lead free solder process

Other:

- Brand = AMP