

1470103 -1 Product Details



1470103 -1

STOP [Superseded](#)
[Search for Replacement Parts](#)

Removable Memory Products

[5 of 6 EU RoHS/ELV Compliant](#) ([Find RoHS Compliant Alternates / Statement of Compliance](#))

Product Highlights:

- ? Number of Positions = 50
- ? Format = CompactFlash™
- ? CompactFlash™ Product Type = Header Only
- ? Header Type = Type I, Type II
- ? Lead Type = Surface Mount - Inline leads

[View all Features](#) | [Find Similar Products](#)

Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information	
<p>Product Drawings: ? None Available</p> <p>Catalog Pages/Data Sheets: ? None Available</p> <p>Product Specifications: ? None Available</p> <p>Application Specifications: ? None Available</p> <p>Instruction Sheets: ? None Available</p> <p>CAD Files: (CAD Format & Compression Information) ? 2D Drawing (DXF, Version D) ? 3D Model (IGES, Version D) ? 3D Model (STEP, Version D)</p> <p style="text-align: right;">List all Documents</p>	<p>Related Products: ? Tooling</p>

Product Features (Please use the Product Drawing for all design activity)	
<p>Product Type Features: ? Number of Positions = 50 ? Mount Angle = Right Angle ? Holddowns = With ? Shielded = No ? Color = Black</p> <p>Mechanical Attachment: ? Mounting Style = Top (Printed Circuit Board)</p> <p>Termination Related Features: ? Solder Tail Contact Plating = Tin -Lead</p> <p>Body Related Features: ? CompactFlash™ Product Type = Header Only ? Header Type = Type I, Type II ? Lead Type = Surface Mount - Inline leads ? Number of Rows = Dual ? Centerline (mm [in]) = 1.27 [0.050]</p> <p>Contact Related Features: ? Contact Mating Area Plating Material = Gold (15) ? Vacuum Tape = Without ? Region = Americas ? Height off PCB (mm [in]) = 2.20 [0.087] ? Contact Material = Copper Alloy ? Contact Underplating = Nickel</p>	<p>Housing Related Features: ? Housing Material = Thermoplastic ? Housing Flammability Rating = UL 94V -0</p> <p>Industry Standards: ? RoHS/ELV Compliance = ELV compliant, 5 of 6 Compliant ? Lead Free Solder Processes = Reflow solder capable to 245°C, Reflow solder capable to 260°C</p> <p>Conditions for Usage: ? Format = CompactFlash™</p> <p>Packaging Related Features: ? Packaging Method = Tray</p> <p>Other: ? Brand = AMP</p>