PRODUCT NO.	PUSH ROD	STAND-OFF	MATING RECEPTACLE	P.C.B	RECOMMENDED	MOUNT STYLE TO PCB AND PUSH ROD
A 73704-****	LOCATION	HEIGHT	B	SIDE	P.C.B LAYOUT	SIDE SIDE
000CA/000CALF	RIGHT	0.0				
020CA/020CALF	RIGHT	2.0				
022CA/022CALF	RIGHT	2.2				
040CA/040CALF	RIGHT	4.0	100 POSITIONS			***************************************
043CA/043CALF	RIGHT	4.3	(2x50) 0.8mm			
050CA/050CALF	RIGHT	5.0	RECEPTACLE PART NO.	ABOVE	SEE DRAWING NO.: TA-1050	
100CA/100CALF	LEFT	0.0	73277–101000		140 TA-1030	
120CA/120CALF	LEFT	2.0	73277-101000LF			
122CA/122CALF	LEFT	2.2		I		
140CA/140CALF	LEFT	4.0				
143CA/143CALF	LEFT	4.3				
150CA/150CALF	LEFT	5.0				
522CA/522CALF	RIGHT	2.2				
540CA/540CALF	RIGHT	4.0				
543CA/540CALF	RIGHT	4.3	100 POSITIONS			######################################
550CA/550CALF	RIGHT	5.0	(2x50) 0.8mm		SEE DRAWING	
622CA/622CALF	LEFT	2.2	RECEPTACLE PART NO.	BELOW	NO.: TA-1050	
640CA/640CALF	LEFT	4.0	73277-101000			
643CA/643CALF	LEFT	4.3	73277-101000LF			
650CA/650CALF	LEFT	5.0				
650CA/650CALF		5.0	73277-101000LF			
THREADED INSERT						tolerance unless otherwise specified COPY
NAME		PART NO.	Q'TY		rev. ecn no. dr date H N05-0088 W B03/24/05	inear ± 0.30 projection title CARDBUS EJ HEADE
A EJECT HEADER A	SS'Y 73704-		****LF 1		C T80400 W L 09/08/98 CI	
					F T90178 W L 10/06/98 C	ngr JOSEPH HSIA 05/09/97 mm/inch size dwg no.

3

1

2

















