Our commitment. Your advantage.

Search

Products

Documentation

Resources

My Account

Customer Support

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>PolySwitch Resettable Devices</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

RGEF400K Product Details



RGEF400K

Raychem Part Number: E90664 - 000

Active

PolySwitch Resettable Devices

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Radial Application
- ? Family Name = RGEF
- Radial Construction, Through Hole Construction
- ? IH (Room Temperature) = 4 Amps.
- ? IT (Room Temperature) = 6.80 Amps.

<u>View all Features</u> | <u>Find Similar</u> <u>Products</u>

Quick Links

Check Pricing &
Availability
Search for Tooling
Product Feature
Selector
Contact Us About
This Product

Documentation & Additional Information

Product Drawings:

? RGEF400K (PDF, English)

Catalog Pages/Data Sheets:

? None Available

Product Specifications:

? None Available

Application Specifications:

None Available

Instruction Sheets:

? None Available

CAD Files:

? None Available

Additional Information:

Product Line Information

Related Products:

? Tooling

List all Documents

Product Features

(Please use the Product Drawing for all design activity)

Product Type Features:

² UL Recognized = File No. E74889

Electrical Characteristics:

- ? IH (Room Temperature) (Amps.) = 4
- ? IT (Room Temperature) (Amps.) = 6.80
- ? Vmax Operating (V) = 16
- ? Rmin (?) = 0.021
- ? Rmax (?) = 0.0385
- ? R1 Max [Post Trip] (?) = 0.06
- 2 UL Rated Current (Amps.) = 100
- ? Tripped Power Dissipation (Typical) (W) = 2.40

Termination Related Features:

? Construction = Radial, Through Hole

Body Related Features:

- ? Lead Type = Standard Kinked Lead
- ² CSA File No. = 78165C

Contact Related Features:

? Family Name = RGEF

Configuration Related Features:

? Coating = Coated

Industry Standards:

- ? RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260° C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant
- 7 TUV Certificate No. = R72041433

Conditions for Usage:

Operating Temperature (Max.) (°C) = 8

Operation/Application:

? Application = Radial

Packaging Related Features:

? Packaging Method = Bulk

Other:

? Brand = Raychem

Provide Website Feedback | Contact Customer Support