

MKDSO 2,5/ 4-R BK VPE200

Order No.: 2908443

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2908443>

PC terminal block, Nominal current: 24 A, Nom. voltage: 320 V, Mounting: Soldering, Color: black

Commercial data	
GTIN (EAN)	4017918359805
sales group	F057
Pack	200 pcs.
Customs tariff	85369010
Weight/Piece	0.008076 KG

Product notes

WEEE/RoHS-compliant since: 01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals



Certification

CB, CCA, CSA, CUL, UL, VDE-PZI

CSA

Nominal voltage U_N	300 V
Nominal current I_N	10 A
AWG/kcmil	28-12

CUL

Nominal voltage U_N	300 V
Nominal current I_N	10 A
AWG/kcmil	30-12

UL

Nominal voltage U_N	300 V
Nominal current I_N	10 A
AWG/kcmil	30-12

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;