


Recommended P.C.B. Layout
Layout Tolerance = ± 0.05 mm



With Cap
Scale 4:1

NOTE:
1. MATERIAL:
HOUSING: HIGH TEMP PLASTIC, UL94-V0
TERMINAL: COPPER ALLOY, T=0.15MM
CAP: STAINLESS STEEL, T=0.1MM
2. FINISH:
TERMINAL: GOLD AT CONTACT,
G/F OVER 1.27um(50u")MIN Ni OVER ALL
3. SPEC.:
PRODUCT SPEC: GS-12-629
PACKING SPEC: GS-14-1420
4. THE HSG. WILL WITHSTAND EXPOSURE TO 260C
PEAK TEMP. FOR 10 SEC. IN A CONVECTION, INFRA-RED
OR VAPOR PHASE REFLOW OVEN.
5. PRODUCT NUMBERING:
20021323 - X 0 0 XX X X LF
LEAD FREE
PLATING:
1: GOLD FLASH ALL OVER
4: 0.25um(10U")GOLD AT CONTACT
8: 0.76um(30U")GOLD AT CONTACT
PACKING
D: TUBE+ CAP
C: REEL+ CAP
(10,20,30,40,42,70 PIN)
T: TUBE
PIN COUNT
10, 12, 14, ..., 80
(EVERY EVEN PIN)
0: WITHOUT POST
1: WITH POST

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.
 All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		FCI		www.fciconnect.com	
ltr	ecn no	dr	date	linear	.X ± 0.38	projection	title					code	
A	T09-1117	S.LIN	09/15/09		.XX ± 0.25	MM	1.27X1.27MM BTB RECEPTACLE SMT, BOTTOM ENTRY					TWN	
B	T10-0020	S.LIN	01/20/10		.XXX ± 0.10							sheet	
C	T10-0120	S.LIN	10'-07-30	angles	0° ± 2°	scale	product family 585					1 of 1	
				dr	STERLING LIN	09/15/09	A4	size dwg no					
				engr	STERLING LIN	09/15/09		20021323					
				chr	GARY HSIEH	09/15/09							
				appd	JOSEPH HSIA	09/15/09							
sheet index	revision sheet	C											

ACAD PDM: Rev:C STATUS:Released cage code Printed: Aug 04, 2010