






10 9 8 7 6 5 4 3 2 1



NOTES:

1. CABLE ASSEMBLY DRAWING ONLY FOR CUSTOMER REFERENCE. ALL COMPONENTS WILL BE DELIVERED DISPERSEDLY.
2. THIS PART MEET VESA PROPOSED STANDARD, VERSION1.1.
3. MATES WITH 47272-0001
4. USE WITH CABLE 24AWG
5. MATERIAL :
HOUSING : HGHI TEMPERATURE THERMAL PLASTIC GLASS FILLED , BLACK, UL94V-0
TERMINAL: COPPER ALLOY THICKNESS 0.3 MM
SHIELD CASE : COPPER ALLOY THICKNESS 0.3 MM
6. PLATING :
TERMINAL:
CONTACT AREA : GOLD 0.76 MICROMETER MINIMUM.
UNDER PLATING : NICKEL 1.27 MICROMETER MINIMUM.
7. PRODUCT SPEC: PS-47272-001

NEW RELEASE EC NO: SH2009-0720 DRAWN: HHE 2009/05/11 CHK: RZHZHANG APPR: HWANG 2009/06/12	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY HHE	DATE 2007/05/10	TITLE PLUG ASS'Y FOR DISPLAY PORT (24 AWG CABLE)		
		4 PLACES	± ---	± ---	CHECKED BY RZHANG	DATE 2007/05/10	MOLEX INCORPORATED		
		3 PLACES	± ---	± ---	APPROVED BY HWANG	DATE 2007/05/10	MATERIAL NO. SEE SHEET 2	DOCUMENT NO. SD-47271-101	SHEET NO. 1 OF 3
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		2 PLACES	± ---	± ---	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
		1 PLACE	± 0.20	± ---					
		ANGULAR ± 2 °							

9 8 7 6 5 4 3 2 1

10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1






COMPONENT	PLUG SUB-ASS'Y	COVER-DOWN	COVER-UP	INNER-SHELL-UPPER	INNER-SHELL-LOWER	LATCH	LATCH	PCB	RING	REMARK
COMPONENT P/N	47271-0111	47271-0105	47271-0104	47271-1108	47271-1109	47271-1106	47271-2106	06-1206C-OM	07-0109-OM	NON DONGLE KEY

NOTES:
 1.ALL COMPONENTS QUANTITY ARE 1.
 2.PCB AND RING ARE PROVIDED BY DG1

NEW RELEASE EIC NO: SH2009-0720 DRAWN BY: DRWN:HE CHECKED BY: CHYD:RZHANG APPROVED BY: APPR:HWANG DATE: 2009/05/11 DATE: 2009/05/12 DATE: 2009/06/12	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION															
	$\nabla = 0$ $\nabla = 0$	<table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± .005</td> <td>± .0004</td> </tr> <tr> <td>3 PLACES</td> <td>± .008</td> <td>± .0003</td> </tr> <tr> <td>2 PLACES</td> <td>± .015</td> <td>± .0002</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.20</td> <td>± .0078</td> </tr> </table>		mm	INCH	4 PLACES	± .005	± .0004	3 PLACES	± .008	± .0003	2 PLACES	± .015	± .0002	1 PLACE	± 0.20	± .0078	MM ONLY	5:1	METRIC	
		mm	INCH																		
	4 PLACES	± .005	± .0004																		
3 PLACES	± .008	± .0003																			
2 PLACES	± .015	± .0002																			
1 PLACE	± 0.20	± .0078																			
DESCRIPTION	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: THE DATE: 2007/05/10 CHECKED BY: RZHANG DATE: 2007/05/10 APPROVED BY: HWANG DATE: 2007/05/10	TITLE	PLUG ASS'Y FOR DISPLAY PORT (24 AWG CABLE)																	
REV			MATERIAL NO.	DOCUMENT NO.	SHEET NO.																
B			SEE CHART	SD-47271-101	2 OF 3																
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		

tb_frame_A3_P_AM_T
 Rev. D 2004/06/28

9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1



RECOMMENDER PCB LAYOUT (THICKNESS=1.5±0.05)

NEW RELEASE IEC NO: SH2009-0720 DRAWN BY: HHE CHECKED BY: RZHANG APPR: HWANG 2009/05/11 2009/06/12	QUALITY SYMBOLS ▽=7 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± ---	mm INCH	DRAWN BY HHE	DATE 2007/05/10	TITLE PLUG ASS'Y FOR DISPLAY PORT (24 AWG CABLE)		
		3 PLACES ± --- ± ---		CHECKED BY RZHANG	DATE 2007/05/10	MOLEX INCORPORATED		
		2 PLACES ± --- ± --- 1 PLACE ± 0.20 ± ---		APPROVED BY HWANG	DATE 2007/05/10	MATERIAL NO. 47271-0111	DOCUMENT NO. SD-47271-101	SHEET NO. 3 OF 3
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						