- o Check Distributor Inventory
- Find Authorized Distributors

. My Account


- o Sign In
- o Register

. Customer Support

- o Support
- o RoHS Support Center
- o Glossary of Terms
- o eBulletin Newsletter

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>PCB Connectors</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

7-146256-0 Product Details



7-146256-0



.100 inch AMPMODU Headers



Product Highlights:

- Header
- Header Type = Breakaway
- Number of Rows = Dual
- Number of Positions = 40
- Mating Post Length = 5.84 mm

View all Features | Find Similar Products

Documentation & Additional Information

Quick Links

- Check
 Pricing &
 Availability
- Search for Tooling
- Product
 Feature
 Selector
- Contact Us
 About This
 Product

Product Drawings:

• HEADER ASSEMBLY, MOD II, BREAKAWAY, DOUBLE ROW, VE... (PDF, English)

Catalog Pages/Data Sheets:

None Available

Product Specifications:

• None Available

Application Specifications:

• None Available

Instruction Sheets:

• None Available

CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version F)
- 3D Model (IGES, Version F)
- 3D Model (STEP, Version F)

Additional Information:

• Product Line Information

Related Products:

• Tooling

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Header
- Number of Positions = 40
- Mount Angle = Vertical
- PCB Retention Feature = No
- Surface Mount Compatible = No
- Board Standoff = Without
- Mounting Ears = Without
- Mating Connector Lock = Without
- Breakaway Header = Yes
- PCB Mount Angle = Vertical
- Post Size (mm [in]) = 0.64 [.025]
- PCB Thickness (mm [in]) = 1.60 [0.063]

Mechanical Attachment:

- Mating Post Length (mm [in]) = 5.84 [0.230]
- Panel Attachment = Without

Termination Related Features:

- Termination (Solder) Post Length (mm [in]) = 3.05 [0.120]
- Solder Tail Contact Plating = Matte Tin, Matte Tin over Nickel

Body Related Features:

- <u>Header Type</u> = Breakaway
- Number of Rows = Dual
- <u>Centerline, Matrix (mm [in])</u> = 2.54 [.100]
- Selectively Loaded = No
- Mount Type = PC Board

Contact Related Features:

- Contact Mating Area Plating Material = Matte Tin over Nickel
- Contact Shape = Square
- Contact Material = Phosphor Bronze

Housing Related Features:

- Housing Material = Liquid Crystal Polymer (LCP)
- Housing Flammability Rating = UL 94V-0

${\bf Industry\ Standards:}$

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C, Reflow solder capable to 245°C, Reflow solder capable to 260°C, Pin-in-Paste capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- High Temperature Housing = Yes
- $\bullet \ \ High \ Temperature \ Compatible = Yes$

Operation/Application:

• <u>High Speed Serial Data Connector</u> = No

Other:

• Brand = Tyco Electronics

Provide Website Feedback | Contact Customer Support

<u>Home</u> | <u>Customer Support</u> | <u>Suppliers</u> | <u>Site Map</u> | <u>Privacy Policy</u> | <u>Browser Support</u>

© 2008 Tyco Electronics Corporation All Rights Reserved

Downloaded from **Elcodis.com** electronic components distributor