


927770-3 Product Details



927770-3



Timer Contacts



Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Contact
- Contact Type = Junior-Power-Timer
- Receptacle
- Wire Range = $0.50-1.00^2$ [20-17] mm [AWG]
- Insulation Diameter = 1.19 2.11 mm, 2.21 3.00 mm

View all Features | Find Similar Products



Documentation & Additional Information

Product Drawings:

- JUNIOR POWER TIMER CONTACT (PDF, English)
- JUNIOR POWER TIMER CONTACT (PDF, German)

Catalog Pages/Data Sheets:

- Automachine and General Products (PDF, English)
- TIMER STECKVERBINDER TIMER CCONNECTORS (PDF, English)
- Global Automotive Division Contact Systems (1) (PDF, English)
- Global Automotive Division Contact Systems (2) (PDF, English)

Product Specifications:

• None Available

Application Specifications:

None Available

Instruction Sheets:

• None Available

CAD Files:

None Available

Documentation & Auditional Information

Additional Information:

• Product Line Information

Additional Product Images:

• Line Drawing

Related Products:

Tooling

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Contact
- Gender = Receptacle
- <u>Insulation Diameter (mm [in])</u> = 1.19 2.11 [0.047 0.083], 2.21 3.00 [0.087 0.118]
- Tab Fit (mm [in]) = 2.79×0.81 [.110 x .032]
- Comment = Single Sealing System (Length 18.8 [.740]).

Body Related Features:

- Wire Range (mm [AWG]) = 0.50-1.00² [20-17]
- Single Wire Sealing System = Yes
- Insulation Type = FLK, FLR
- Cantilever Spring Material = Stainless Steel
- Single Seal Part No. = 828904-1, 828905-1

Contact Related Features:

- <u>Contact Type</u> = Junior-Power-Timer
- Contact Material = CuSn4
- Contact Mating Area Plating = Pre-Tin

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

• Terminate To = Wire

Operation/Application:

• Cavity Plug Part No. = 828922

Packaging Related Features:

• Packaging Method = Strip

Other:

- GET 0.64 Connector System = No
- Brand = AMP