


**5-1571999 -6 Product Details**

**Live Product Chat** US Only  
8:30am - 5pm ET, Mon - Fri



**5-1571999 -6**

[Active](#)

**DIP, Rotary DIP, SIP Switches and DIP Shunts - Standard**

[Always EU RoHS/ELV Compliant](#) ( [Statement of Compliance](#) )

**Product Highlights:**

- ? DIP Switch
- ? PCB Mount Style = Thru Hole
- ? Single Pole - Single Throw Configuration (Pole - Throw)
- ? Actuator Style = Piano (Side Actuated)
- ? Not Sealed

[View all Features](#) | [Find Similar Products](#)

**Quick Links**

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

**Documentation & Additional Information**

**Product Drawings:**

- ? [DIP SWITCH ASSEMBLY ADP/PA SERIES](#) (PDF, English)

**Catalog Pages/Data Sheets:**

- ? None Available

**Product Specifications:**

- ? None Available

**Application Specifications:**

- ? None Available

**Instruction Sheets:**

- ? None Available

**CAD Files:**

- ? None Available

**Additional Information:**

- ? [Product Line Information](#)

**Related Products:**

- ? [Tooling](#)

[List all Documents](#)

**Product Features**

(Please use the Product Drawing for all design activity)

**Product Type Features:**

- ? Product Type = DIP Switch
- ? PCB Mount Style = Thru Hole
- ? [Configuration \(Pole - Throw\)](#) = Single Pole - Single Throw
- ? [Actuator Style](#) = Piano (Side Actuated)
- ? Sealed = No
- ? [Number of Switches](#) = 8

**Body Related Features:**

- ? Series = AD
- ? Centerline (mm [in]) = 2.54 [0.100]
- ? Length (mm [in]) = 22.30 [0.878]

**Contact Related Features:**

- ? Auto - Insertable = Yes
- ? Contact Material = Copper Alloy
- ? Contact Mating Area Plating = Gold Flash

**Housing Related Features:**

- ? Housing Material = PPS
- ? Housing Flammability Rating = UL 94V -0
- ? On Position = Lever Up

**Industry Standards:**

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

**Packaging Related Features:**

- ? Packaging Method = Tube

**Other:**

- ? Brand = Tyco Electronics