Part Details for P/N: MICROSMD075F-2

Tyco Brand P/Ns

Part Number Search

**Document Search** 

Product Type Search

Alternates CAD Model Search Brand Search Tool Search

Home

Product Family Search Alphabetical Search RoHS/ELV Compliance &

Multiple Part Comparison
Lead Free Solutions
Help/Glossary

e-bulletin newsletter

click here

SUBSCRIBE NOW!



Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information			
General Information	eCommerce	Related Part Information	
General Info	Pricing		
Sales Info	Product Availability		

Searchable Features:		
Brand:	Raychem	
RoHS/ELV Compliance:	RoHS compliant, ELV compliant	
Lead Free Solder Processes:	Reflow solder capable to 245°C, Reflow solder capable to 260°C	
Application:	Surface Mount	
Family Name:	microSMD	
Construction:	Surface Mount	
IH (Room Temperature) (Amps.):	0.75	
IT (Room Temperature) (Amps.):	1.50	
Operating Temperature (Max.) (° C):	85	
Vmax Operating (V):	6	

Other Properties:		
RoHS/ELV Compliance History:	Always was RoHS compliant	
Tripped Power Dissipation (Typical) (W):	0.80	
UL Listed:	170500-E74889	
CSA File No.:	1031175 (CA 78165-1)	
TUV Certificate No.:	R72041438	
Packaging Method:	Tape & Reel	

<b>Rmin (</b> Ω <b>)</b> :	0.11
R1 Max [Post Trip] (Ω):	0.40
UL Rated Current (Amps.):	40
Form Factor (inches):	1210
Form Factor (mm):	3225

Copyright and Privacy Statement Visit Tyco International Ltd.

[ Products | Catalog | Brands | Industries | Commerce | Supplier | Contact Us | About | Home ]