
1-66360-4 Product Details



1-66360-4

TE Internal Number: 1-66360-4

Active

Multimate



Product Highlights:

- Socket
- High Current
- Gold (30) over Nickel (30) Contact Mating Area Plating Material
- Wire Range = 0.80-2.00² [18-14] mm [AWG]
- Insulation Diameter = 2.03 2.54 mm

View all Features

Documentation & Additional Information

Product Drawings:

• SOCKET ASSEMBLY, LOOSE PIECE, TYPE III+ (PDF, English)

Catalog Pages/Data Sheets:

- HIGH CURRENT PRODUCTS (PDF, English)
- PRECISION PIN AND SOCKET CONTACTS (PDF, English)
- Signal Contacts (PDF, English)
- <u>CIRCULAR CONNECTORS FOR COMMERCIAL SIGNAL AND POWER ...</u> (PDF, English)
- AMP Circular Connectors for Commercial Signal & Powe... (PDF, English)

Product Specifications:

None Available

Application Specifications:

None Available

Instruction Sheets:

None Available

CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version H)
- 3D Model (IGES, Version H)
- 3D Model (STEP, Version H)

Additional Information:

Product Line Information

Additional Product Images:

Line Drawing

Related Products:

Tooling

<u>List all Documents</u>

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Pin/Socket = Socket
- <u>Insulation Diameter (mm [in])</u> = 2.03 2.54
 [0.080 0.100]
- Product Type = Type III+ Enhanced High Current
- Insulation Support = Yes
- Wire Termination Type = Crimp
- Wire/Cable Type = Discrete Wire
- Grade = Commercial
- Comment = Overall insulation crimp diameter, including crimp barrel, must not exceed 3.18 [.125].

Electrical Characteristics:

• High Current = Yes

Termination Related Features:

- Termination End Plating = Gold Flash
- Pin Diameter (mm [in]) = 1.57 [0.062]

Contact Related Features:

- <u>Contact Mating Area Plating Material</u> = Gold
 (30) over Nickel (30)
- Contact Base Material = Brass
- Contact Size = 16
- Contact Type = Signal

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

• <u>Terminate To</u> = Wire

Packaging Related Features:

• <u>Packaging Method</u> = Loose Piece

Body Related Features:

- <u>Wire Range (mm [AWG])</u> = 0.80-2.00² [18-14]
- Spring Material = Stainless Steel
- Used With = CPC Connectors, VDE Connectors

Other:

• Brand = AMP