


Tous droits strictement réservés. Reproduction ou communication sans l'avis écrit du propriétaire de BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any form without the written authority from the proprietor. Copyright BERG ELECTRONICS by



PRODUCT NO.  
52343-250HA/250HALF

- NOTES:
- 8mm MIN. CARD EJECT.
  - EJECT TRAVEL: 9.5mm
  - MATERIAL
- 3.1 HEADER ASS'Y  
 PLASTIC : HOUSING ...LCP UL94V-0 BLACK  
 PIN : COPPER ALLOY  
 PCB : FR4
- 3.2 EJECT MECHANISM ASS'Y  
 PLASTIC : GUIDE: POLYPHTHARAMID UL94V-0 BLACK  
 : PUSH ROD: POLYPHTHARAMID UL94V-0 BLACK  
 PLATE : STAINLESS  
 EMI CONTACT: PHOSPHOR BRONZE
- 3.3 RECEPTACLE  
 PLASTIC : LCP 94V-0, NATURAL.  
 PIN: BeCu
4. FINISH (PIN)  
 UNDER PLATING : 0.5 um MIN. Ni  
 CONTACT AREA : 0.1 um MIN. GOLD OVER  
 0.5 um MIN. Pd-Ni  
 SOLDER TAIL(LEAD FREE OPTION): 2.5 um MIN. PURE TIN  
 SOLDER TAIL(TIN LEAD OPTION): 2.5 um MIN. Sn-Pb
- ⑤ PUSH ROD LOCATION AND P.C.B. SIDE ARE AS APPEARS INSTALLED.
6. DIM "X"
- |          |         |                  |
|----------|---------|------------------|
| 4.25±0.1 | 3.5±0.1 | 5.0±0.1          |
| OTHERS   | 36,67   | 1,17,34,35,51,68 |
7. IF LEAD FREE P/N.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
8. IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DISCRIBED IN GS-22-008
9. LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION

ORDERING INFORMATION

NAME	PART NO.		Q'TY
Ⓐ EJECT HEADER ASS'Y	52343-*****	52343-*****LF	1
Ⓑ MATING RECEPTACLE	91931-31169	91931-31169LF	2




mat'l code		tolerance unless otherwise specified		CUSTOMER COPY	ELECTRONICS FCI
rev.	ecn no.	dr	date	linear	
A	T90220	WL	06/07/99	projection	
B	T90317	WL	09/06/99	angles	± 2°
C	T20085	WL	03/18/02	unit	mm/inch
D	N004-0105	WB	11/26/04	dr	WENDY CHEN 06/07/99
				enrg	STELAR CHU 06/07/99
				chr	JOSEPH HSIA 06/07/99
				appd	JENN TSAO 06/07/99
sheet	revision	D	C	B	
index	sheet	1	2	3	4

product family : PCMCIA code 1TW  
 title EJECTOR HEADER ASS'Y 68POS. FOR TYP 1/2/3  
 size A3 dwg no. 52343 sheet 1 of 4

PD: Rev:D STATUS Released Printed: Oct 12, 2010

Tous droits strictement réservés. Reproduction ou communication sans la permission écrite du propriétaire.  
 All rights strictly reserved. Reproduction or communication in any form without the written authority from the proprietor.  
 Copyright © BERG ELECTRONICS by

PRODUCT NO.  
 52343-322JA/322JALF




- NOTES:
- 8mm MIN. CARD EJECT.
  - EJECT TRAVEL: 9.5mm
  - MATERIAL
    - HEADER ASS'Y  
 PLASTIC : HOUSING ...LCP UL94V-0 BLACK  
 PIN : COPPER ALLOY  
 PCB : FR4
    - EJECT MECHANISM ASS'Y  
 PLASTIC : GUIDE: POLYPHTHARAMID UL94V-0 BLACK  
 : PUSH ROD: POLYPHTHARAMID UL94V-0 BLACK  
 PLATE : STAINLESS  
 EMI CONTACT: PHOSPHOR BRONZE
    - RECEPTACLE  
 PLASTIC : LCP 94V-0, NATURAL.  
 PIN: BeCu
  - FINISH (PIN)  
 UNDER PLATING : 0.5 um MIN. Ni  
 CONTACT AREA : 0.1 um MIN. GOLD OVER  
 0.5 um MIN. Pd-Ni  
 SOLDER TAIL(LEAD FREE OPTION): 2.5 um MIN. PURE TIN  
 SOLDER TAIL(TIN LEAD OPTION): 2.5 um MIN. Sn-Pb
- ⑤ PUSH ROD LOCATION AND P.C.B. SIDE ARE AS APPEARS INSTALLED.
6. DIM "X"
- |          |         |                  |
|----------|---------|------------------|
| 4.25±0.1 | 3.5±0.1 | 5.0±0.1          |
| OTHERS   | 36,67   | 1,17,34,35,51,68 |
- IF LEAD FREE P.N.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
  - IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DISCRIBED IN GS-22-008
  - LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION

ORDERING INFORMATION

NAME	PART NO.		Q'TY
Ⓐ EJECT HEADER ASS'Y	52343-****	52343-****LF	1
Ⓑ MATING RECEPTACLE	91931-31169	91931-31169LF	2

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		<b>ELECTRONICS</b>	
rev.	ecn no.	dr	date	linear	±0.30	projection	title
C				angles	± 2°		EJECTOR HEADER ASS'Y
D				dr	WENDY CHEN	06/07/99	68POS. FOR TYP 1/2/3
				engr	STELAR CHU	06/07/99	product family : PCMCIA
				chr	JOSEPH HSIA	06/07/99	size
				appd	JENN TSAO	06/07/99	dwg no.
sheet	revision			scale	1:2:1	A3	52343
index	sheet						code
							TWN
							sheet
							2 of

PRODUCT NO.  
52343-750HA/750HALF






- NOTES:
- 8mm MIN. CARD EJECT.
  - EJECT TRAVEL: 9.5mm
  - MATERIAL
    - HEADER ASS'Y  
PLASTIC : HOUSING ...LCP UL94V-0 BLACK  
PIN : COPPER ALLOY  
PCB : FR4
    - EJECT MECHANISM ASS'Y  
PLASTIC : GUIDE: POLYPHTHARAMID UL94V-0 BLACK  
PUSH ROD: POLYPHTHARAMID UL94V-0 BLACK  
PLATE : STAINLESS  
EMI CONTACT: PHOSPHOR BRONZE
    - RECEPTACLE  
PLASTIC : LCP 94V-0, NATURAL.  
PIN: BeCu
  - FINISH (PIN)  
UNDER PLATING : 0.5 um MIN. Ni  
CONTACT AREA : 0.1 um MIN. GOLD OVER  
0.5 um MIN. Pd-Ni  
SOLDER TAIL(LEAD FREE OPTION): 2.5 um MIN. PURE TIN  
SOLDER TAIL(TIN LEAD OPTION): 2.5 um MIN. Sn-Pb
- ⑤ PUSH ROD LOCATION AND P.C.B. SIDE ARE AS APPEARS INSTALLED.
6. DIM "X"
- |          |         |                  |
|----------|---------|------------------|
| 4.25±0.1 | 3.5±0.1 | 5.0±0.1          |
| OTHERS   | 36,67   | 1,17,34,35,51,68 |
- IF LEAD FREE P/N.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
  - IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DISCRIBLED IN GS-22-008
  - LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION

ORDERING INFORMATION

NAME	PART NO.		Q'TY
Ⓐ EJECT HEADER ASS'Y	52343-750HA	52343-750HALF	1
Ⓑ MATING RECEPTACLE	91931-31169	91931-31169LF	2

mat'l code		tolerance unless otherwise specified	CUSTOMER COPY	ELECTRONICS	
rev.	ecn no.	dr	date	linear	±0.30
C				projection	
D				angles	± 2°
				dr	WENDY CHEN 09/02/99
				engr	STELAR CHU 09/02/99
				chr	JOSEPH HSIA 09/02/99
				appd	ELAND WANG 09/02/99
sheet	revision			unit	mm/inch
index	sheet			scale	1.2:1
				product family	PCMCIA
				size	A3
				dwg no.	52343
				code	TWN
				sheet	3 of

Tous droits strictement réservés. Toute réimpression ou communication sans l'avis écrit du propriétaire de ce document est formellement interdite.  
 All rights strictly reserved. Reproduction or communication without the written authority from the proprietor is strictly prohibited.  
 Copyright BERG ELECTRONICS by  
 Droits de reproduction BERG ELECTRONICS by



mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		<b>ELECTRONICS</b>	
rev.	ecn no.	dr	date	linear	±0.30	projection	title EJECTOR HEADER ASS'Y 68POS. FOR TYP 1/2/3
B				angles	± 2°		
D				dr	WENDY CHEN	06/07/99	product family : PCMCIA
				enfr	STELAR CHU	06/07/99	code
				chr	JOSEPH HSIA	06/07/99	1TW
				appd	JENN TSAO	06/07/99	sheet
							4 of
sheet	revision						
index	sheet						

PD: Rev:D STATUS Released Printed: Oct 12, 2010