
# 66101-1 Product Details



66101-1

TE Internal Number: 66101-1

Active

## **Multimate**



Always EU RoHS/ELV Compliant (Statement of

Compliance)

# **Product Highlights:**

- Socket
- Gold (30) over Nickel (30) Contact Mating Area Plating Material
- Wire Range = 0.80-1.40<sup>2</sup> [18-16] mm [AWG]
- Insulation Diameter = 2.03 2.54 mm
- Brass Contact Base Material

View all Features

#### Documentation & Additional Information

### **Product Drawings:**

• SOCKET ASSEMBLY, LOOSE PIECE, TYPE III+ (PDF, English)

### Catalog Pages/Data Sheets:

- HIGH CURRENT PRODUCTS (PDF, English)
- PRECISION PIN AND SOCKET CONTACTS (PDF, English)
- CIRCULAR CONNECTORS FOR COMMERCIAL SIGNAL AND POWER ... (PDF, English)

### **Product Specifications:**

• Contact, Type III+, Stamped and Formed (PDF, English)

### **Application Specifications:**

• Type III+ (Size 16) Contacts (PDF, English)

#### Instruction Sheets:

- <u>Selection Charts for Multimate Pin and Socket Contacts</u> (PDF, English)
- Application and Maintenance for Crimping Head Assembly (PDF, English)

### **CAD Files:** (CAD Format & Compression Information)

- 2D Drawing (DXF, Version D)
- 3D Model (IGES, Version D)
- 3D Model (STEP, Version D)

List all Documents

#### Additional Information:

• Product Line Information

#### **Related Products:**

Tooling

### Product Features (Please use the Product Drawing for all design activity)

### **Product Type Features:**

- Pin/Socket = Socket
- <u>Insulation Diameter (mm [in])</u> = 2.03 2.54
   [0.080 0.100]
- Product Type = Type III+
- <u>Insulation Support</u> = Yes
- Wire Termination Type = Crimp
- Wire/Cable Type = Discrete Wire
- Grade = Commercial
- Comment = Wire strip length-- 3.96 [.156] for all wire sizes.; Overall insulation crimp diameter, including crimp barrel, must not exceed 3.18 [.125].

### **Electrical Characteristics:**

• High Current = No

#### **Termination Related Features:**

Termination End Plating = Gold Flash

#### **Contact Related Features:**

- <u>Contact Mating Area Plating Material</u> = Gold
   (30) over Nickel (30)
- Contact Base Material = Brass
- Contact Size = 16
- Contact Type = Signal

#### **Industry Standards:**

- <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

#### **Conditions for Usage:**

- Terminate To = Wire
- Test Current (Amps.) = 13.0

### **Packaging Related Features:**

• Pin Diameter (mm [in]) = 1.57 [0.062]

# **Body Related Features:**

- Wire Range (mm [AWG]) = 0.80-1.40<sup>2</sup> [18-16]
- Spring Material = Stainless Steel
- Used With = M Series Connectors

• <u>Packaging Method</u> = Loose Piece

### Other:

• Brand = AMP