


OLED DISPLAY SOLUTIONS

Pictiva™ 1.0-inch 128x64 OLED display



OS128064Px10MxxB10

Features

- Available in white and 3 other colors
- RoHS compliant
- 180° viewing angle
- Fast response, video capable
- High contrast
- Wide operating temperature range
- Thin profile (1.7mm)

Benefits

- Attractive appearance in White or Blue
- Low-cost graphic solution
- Ultra-thin structure suits mobile devices

Applications


- Mobile Phone Sub-Display
- MP3 Players
- Mobile Consumer Devices

Specifications

Display Format	128 Columns x 64 Rows				
Diagonal	1.0 inch				
Pixel Pitch	0.18 mm x 0.18 mm				
Color, Luminance & Lifetime	Color On Demand	CIE x	CIE y	cd/m ²	Lifetime hrs, 25°C
	Elegance Yellow	0.46	0.54	100/200*	40K/10K*
	Lime Green	0.37	0.62	120	10K
	Tiger Orange	0.63	0.37	50	10K
	Galaxy White	0.25	0.25	35	TBA
Grayscale	1 or 4 bit				
Active Area	22.75 (W) X 11.36 (H) mm				
Module Size	30.0 (W) X 20.0 (H) X 1.7 (T) mm				
Viewing Angle	180°				
Contrast Ratio	2000:1 dark ambient				
Temperature	-30°C to +70°C Operating				
Voltage	2.4V – 3.5V (Logic) 12V– 13V (OLED Supply)				
Power	0.05 mW (Sleep Mode)				
Interface	Parallel or Serial, TAB interconnect				
Driver	SSD1303 (1-bit), SDD0323 (4-bit)				
Weight	2.2g nominal				

* High Brightness Mode

Mechanical Dimensions and Pin Description



Ordering Information

Part Number	Order Number	Description
1-bit		
OS128064PN10MY0B10	Q65110A4124	Pictiva™ 1.0 inch 128x64 OLED Display, Elegance Yellow
OS128064PN10MG1B10	Q65110A4125	Pictiva™ 1.0 inch 128x64 OLED Display, Lime Green
OS128064PN10MO1B10	Q65110A4126	Pictiva™ 1.0 inch 128x64 OLED Display, Tiger Orange
OS128064PN10MW1B10	Q65110A4122	Pictiva™ 1.0 inch 128x64 OLED Display, Galaxy White
4-bit		
OS128064PK10MY0B10	Q65110A4130	Pictiva™ 1.0 inch 128x64 OLED Display, Elegance Yellow
OS128064PK10MG1B10	Q65110A4131	Pictiva™ 1.0 inch 128x64 OLED Display, Lime Green
OS128064PK10MO1B10	Q65110A4132	Pictiva™ 1.0 inch 128x64 OLED Display, Tiger Orange
OS128064PK10MW1B10	Q65110A4128	Pictiva™ 1.0 inch 128x64 OLED Display, Galaxy White

Contact Information

OSRAM Opto Semiconductors

Asia: +60(4) 631-8100 prasia@osram-os.com
 Europe: +49 (0)941-850-3535 pr@osram-os.com
 North America: +1-888-446-7726 ext.4310 info@osram-os.com
 Web: www.pictiva.com

©2005 OSRAM Opto Semiconductors. OSRAM, the OSRAM logo and Pictiva are trademarks and/or service marks of OSRAM Opto Semiconductors, Inc. Other brands or products are trademarks of their respective holders. OSRAM holds a license from Cambridge Display Technology to manufacture and sell polymer light emitting displays. The specifications contained in this document are subject to change without notice. OSRAM Opto Semiconductor, Inc. assumes no responsibility or liability arising out of the application or use of any legal information, product or service described herein except as expressly agreed to in writing by OSRAM Opto Semiconductors, Inc. Customers are advised to obtain the latest version of the device specifications before relying on any published information and before placing orders for products or services. All rights reserved.

Lit# 524DS-1 updated on 12/19/05