



RECOMMENDED PC BOARD MOUNTING DIMENSIONS
 FOR .063 [1.60] THICK PC BOARD AND
 .012 [.305] STENCIL THICK.

- ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS
- TRUE POSITION TOLERANCE OF THE POST TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD
- THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- 0.00762 [.000030] GOLD IN CONTACT AREA, 0.00254-0.00508 [.0000100-.0000200] MATTE TIN-LEAD ON SOLDER TAIL, ALL OVER 0.00127 [.000050] NICKEL.
- MATERIAL: HOUSING - LCP, COLOR: BLACK, POSTS - PHOSPHOR BRONZE
- 0.00762 [.000030] GOLD IN CONTACT AREA, 0.00254-0.00508 [.0000100-.0000200] MATTE TIN ON SOLDER TAIL, ALL OVER 0.00127 [.000050] NICKEL.
- OBsolete PARTS: OBsolete CIS STREAMLINING PER D.RENAUD/D.SINISI

NO	QTY	DESCRIPTION	DATE	BY	APP
101.19	99.06	39	40	9-146281-0	
101.19	99.06	38	39	8-146281-9	
101.19	99.06	37	38	8-146281-8	
101.19	99.06	36	37	8-146281-7	
101.19	99.06	35	36	8-146281-6	
101.19	99.06	34	35	8-146281-5	
101.19	99.06	33	34	8-146281-4	
101.19	99.06	32	33	8-146281-3	
101.19	99.06	31	32	8-146281-2	
101.19	99.06	30	31	8-146281-1	
101.19	99.06	29	30	8-146281-0	
101.19	99.06	28	29	7-146281-9	
101.19	99.06	27	28	7-146281-8	
101.19	99.06	26	27	7-146281-7	
101.19	99.06	25	26	7-146281-6	
101.19	99.06	24	25	7-146281-5	
101.19	99.06	23	24	7-146281-4	
101.19	99.06	22	23	7-146281-3	
101.19	99.06	21	22	7-146281-2	
101.19	99.06	20	21	7-146281-1	
101.19	99.06	19	20	7-146281-0	
101.19	99.06	18	19	6-146281-9	
101.19	99.06	17	18	6-146281-8	
101.19	99.06	16	17	6-146281-7	
101.19	99.06	15	16	6-146281-6	
101.19	99.06	14	15	6-146281-5	
101.19	99.06	13	14	6-146281-4	
101.19	99.06	12	13	6-146281-3	
101.19	99.06	11	12	6-146281-2	
101.19	99.06	10	11	6-146281-1	
101.19	99.06	9	10	6-146281-0	
101.19	99.06	8	9	5-146281-9	
101.19	99.06	7	8	5-146281-8	
101.19	99.06	6	7	5-146281-7	
101.19	99.06	5	6	5-146281-6	
101.19	99.06	4	5	5-146281-5	
101.19	99.06	3	4	5-146281-4	
101.19	99.06	2	3	5-146281-3	
101.19	99.06	1	2	5-146281-2	
101.19	99.06	0	1	5-146281-1	

THIS DRAWING IS A CONTROLLED DOCUMENT.

TE Connectivity

HEADER ASSEMBLY, WOOD II, BREAKAWAY, SINGLE ROW, HIGH TEMPERATURE, VERTICAL W/250 SQ POSTS, 100 EC

DATE: 01/07/79

CUSTOMER DRAWING