


VC-FSMA-M-KT-2 SET

Order No.: 1855703




<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1855703>

Quick mounting plug set, with bend protection sleeve for polymer fiber cable, for the contact carrier module VC-AFOS 2, length: 27 mm, width: 7 mm, 2 pcs. each as set

Commercial data	
GTIN (EAN)	
Note	Made-to-order
sales group	D220
Pack	1 pcs.
Customs tariff	85369010
Catalog page information	Page 470 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
08/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals



Certification

GOST

Accessories


Item	Designation	Description
------	-------------	-------------

Tools

2744199	PSM-FO-STRIP	Stripping pliers for transmitting individual elements of the fiber optic cable. Especially suited for all polymer and HCS cables. Special mechanics and precise blade form avoid damage to the fiber optic fibers. Dimensions: (L x W x H) 160 x 130 x 36 mm.
2799348	PSM-SET-FSMA-POLISH	Polymer fiber polishing set, for F-SMA quick mounting connectors
1884982	VC-POLISHER/M FSMA	Polisher, metal, for repeated preparation of VARIOCON fiber optic ferrules

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;