


NLC-MOD-MEM 032K

Order No.: 2701166




<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2701166>

Memory module

Commercial data	
GTIN (EAN)	
sales group	K253
Pack	1 pcs.
Customs tariff	85389091
Catalog page information	Page 17 (AX-2011)

Product notes

WEEE/RoHS-compliant since:
12/02/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Supply	
Max. current consumption	20 mA
Typical current consumption	15 mA

General data	
Width	24.5 mm
Height	25.5 mm

Depth	49 mm
Degree of protection	IP20
Ambient temperature (operation)	-25 °C ... 60 °C
Ambient temperature (storage/transport)	-25 °C ... 85 °C

Accessories

Item	Designation	Description
General		
2701289	NLC-MOD-CAP	Replacement cover for slot 1 in base unit.
2701247	NLC-PC/USB-CBL 2M	Cable , serial

Additional products

Item	Designation	Description
General		
2701247	NLC-PC/USB-CBL 2M	Cable , serial

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;