


**VS-08-KS-H/GY**

Order No.: 1654743

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1654743>


RJ45 bend protection sleeve, for pin inserts VS-08-ST-H11-RJ45 and VS-08-ST-H21-RJ45, for cable cross section up to 7 mm, color: gray

**Ethernet**

Commercial data	
GTIN (EAN)	 4 017918 977801
sales group	D510
Pack	5 pcs.
Customs tariff	39269097
Catalog page information	Page 284 (PC-2011)

Product notes

WEEE/RoHS-compliant since:  
06/01/2005



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>Mechanical characteristics</b>	
External cable diameter	7 mm
Color	gray
Ambient temperature (operation)	-40 °C ... 80 °C
<b>Material data</b>	
Inflammability class acc. to UL 94	V0
Housing material	PA

Degree of protection	IP20
----------------------	------

### Accessories

Item	Designation	Description
------	-------------	-------------

#### General

1652716	VS-08-ST-H11-RJ45	RJ45 pin insert, CAT5e, 8-pos., shielded, IDC connection method, for litz wires AWG 27 ... 26, with strain relief
1652729	VS-08-ST-H21-RJ45	RJ45 male insert, CAT6, 8-pos., shielded, IDC displacement connection, for litz wire AWG 25 ... 24 and solid wires AWG 24, with strain relief

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;