

## VS-SI-FP-2RJ45-5-MOD-BU/BU


Order No.: 1657766



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1657766>

Front plate with contact inserts, plastic with shroud, 2x RJ socket/ socket

### Commercial data

GTIN (EAN)	 4 046356 118705
sales group	D550
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 445 (PC-2011)

### Product notes

WEEE/RoHS-compliant since:  
04/20/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### Mechanical characteristics

Number of slots	2
Color	gray
Ambient temperature (operation)	-10 °C ... 60 °C

**Material data**

Inflammability class acc. to UL 94	V0
Housing material	PBT
Degree of protection	IP20

**Electrical characteristics**

Rated voltage (III/3)	50 V
Rated current	1 A


**Accessories**

Item	Designation	Description
1656660	VS-SI-BZ	Marker label, plastic, plate with 20 labels

**General**


**Diagrams/Drawings**

Dimensioned drawing



Schematic diagram

---



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;