

CCDN 2,5/ 8-G1F P26 THR


Order No.: 1734504

The figure shows a 10-position version of the product

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1734504>

Header, Nominal current: 12 A, Rated voltage (III/2): 400 V, Number of positions: 8, Pitch: 5 mm, Color: black, Assembly: Taped SMD/THT/THR components

Commercial data

| | |
|--------------------------|--|
| GTIN (EAN) |  |
| Note | Made-to-order |
| sales group | E171 |
| Pack | 50 pcs. |
| Customs tariff | 85366990 |
| Catalog page information | Page 281 (CC-2011) |

Product notes

WEEE/RoHS-compliant since:
11/29/2006




<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Dimensions / positions

| | |
|---------------------|---------|
| Length | 17.6 mm |
| Pitch | 5 mm |
| Dimension a | 35 mm |
| Number of positions | 8 |

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;