


PCV 6-16/ 8-GF-10,16


Order No.: 1922624

The illustration shows a 6-position version




<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1922624>

Header, Number of positions: 8, Pitch: 10.16 mm, Color: green, The nominal current of 76 A applies in connection with connectors from the PC 16 family. 41 A are reached in connection with PC 6 connectors (50 A in accordance with UL).

| Commercial data | |
|--------------------------|-----------------------------------------------------------------------------------|
| GTIN (EAN) |  |
| Note | Made-to-order |
| sales group | E541 |
| Pack | 50 pcs. |
| Customs tariff | 85366990 |
| Catalog page information | Page 195 (CC-2002) |

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals



Certification

CB, CCA, CUL, GOST, SEV, UL

Accessories


| Item | Designation | Description |
|---------------------|-------------|----------------------------|
| Plug/Adapter | | |
| 1600027 | CP-HCC 4 | Coding profile, Color: red |

Additional products


| Item | Designation | Description |
|----------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General | | |
| 1913633 | PC 6/ 8-STF-10,16 | Plug component, Nominal current: 41 A, Rated voltage (III/2): 1000 V, Number of positions: 8, Pitch: 10.16 mm, Connection method: Screw connection, Color: green |

Diagrams/Drawings

Drilling plan/solder pad geometry



Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;