

Choose one component from each of the coloured sections to assemble a complete switch. For other options or further information please contact your local sales office.

Product Profile

The Series 14 is a high quality switch range that includes pushbuttons, indicators, mushroom headed switches, selector switches and 2 position key switches.

Options include self cleaning, snap-action or low level switching elements.

- IP67 Protection
- Switch Rating:
Maximum Voltage, 250VAC
Maximum Thermal Current, $I_{th} = 5A$
24VDC/2A, 250VAC/2A
- Raised Mounting into 22.5mm cut out
- Flush Mounting into 30.5mm cut out
- Illumination using T5.5 Lamps or LED's
- All standard lenses are transparent with translucent diffuser
- Solder, plug-in or PCB connections

Indicator



Indicator body round for raised full face, black plastic, 22.5mm mounting

Part No.
14-030.005



Indicator body for raised and flush mount, black plastic

Part No.
14-040.005

For flush mount order bezel 704.955.1

For complete switch also order **A**

For complete switch also order **A**

Illuminated pushbutton



Illuminated pushbutton actuator for raised and flush mount, black plastic, solder terminal, snap-action

Part No.	Momentary/Maintained	Contact type
14-131.0252	Momentary	1NO/1NC
14-132.0252	Momentary	2NO/2NC
14-271.0252	Maintained	1NO/1NC
14-272.0252	Maintained	2NO/2NC

For flush mount order bezel 704.955.1

For complete switch also order **A**



Illuminated pushbutton actuator for raised and flush mount, black plastic, plug-in terminal, snap-action

Part No.	Momentary/Maintained	Contact type
14-131.022	Momentary	1NO/1NC
14-271.022	Maintained	1NO/1NC


For flush mount order bezel 704.955.1

For complete switch also order **A**

Keylock switch



Keylock switch, 2 position, raised



Drawing	Part No.	Momentary/Maintained	Key rem.
1	14-141.025K2	Momentary	A
2	14-235.025K2	Maintained	A

For flush mount order bezel 704.955.1

For complete switch also order **A**


Choose one component from each of the coloured sections to assemble a complete switch.
For other options or further information please contact your local sales office.




Selector switch **Buzzer**



Selector switch short lever 2 position, raised, snap-action



Selector switch long lever 2 position, raised, snap-action



Buzzer, plastic bezel, raised, 22.5mm mounting, 24VDC, IP65, 95dB ± 8 at a distance of 0.1m

Drawing	Part No.	Momentary/Maintained	Contact type	Drawing	Part No.	Momentary/Maintained	Contact type	Part No.	Product description
3	14-501.0252	Momentary	1NC/1NO	3	14-551.0252	Momentary	1NO/1NC	14-810.002	Black plastic
4	14-506.0252	Maintained	1NC/1NO	4	14-556.0252	Maintained	1NO/1NC	14-810.902	Chromium-plate
For flush mount order bezel 704.955.1									

For complete switch also order **A**

For complete switch also order **A**

Buzzer **LED**



Buzzer, plastic bezel, flush mount, 30.5mm mounting, 24VDC, IP40, 95dB ± 8 at a distance of 0.1m



LED, T5.5, single chip, 6 Volt and 12 Volt



LED, T5.5, single chip, 24 Volt and 28 Volt

Part No.	Front finish	Colour	Part No.	Voltage	Colour	Part No.	Voltage
14-810.910	Black plastic	Red	10-2106.3142	6VDC/15mA	Red	10-2112.1062	24VAC/DC, 7/14mA
14-810.918	Chromium-plated	Yellow	10-2106.3144	6VDC/15mA	Yellow	10-2112.1064	24VAC/DC, 7/14mA
		Green	10-2106.3145	6VDC/15mA	Green	10-2112.1065	24VAC/DC, 7/14mA
		Blue	10-2106.3146	6VDC/15mA	Blue	10-2112.1066	24VAC/DC, 7/14mA
		White	10-2106.3149	6VDC/15mA	White	10-2112.1069	24VAC/DC, 7/14mA
		Red	10-2109.1062	12VAC/DC, 7/14mA	Red	10-2113.1062	28VAC/DC, 7/14mA
		Yellow	10-2109.1064	12VAC/DC, 7/14mA	Yellow	10-2113.1064	28VAC/DC, 7/14mA
		Green	10-2109.1065	12VAC/DC, 7/14mA	Green	10-2113.1065	28VAC/DC, 7/14mA
		Blue	10-2109.1066	12VAC/DC, 7/14mA	Blue	10-2113.1066	28VAC/DC, 7/14mA
		White	10-2109.1069	12VAC/DC, 7/14mA	White	10-2113.1069	28VAC/DC, 7/14mA



Choose one component from each of the coloured sections to assemble a complete switch.
For other options or further information please contact your local sales office.

LED



LED, T5.5, single chip, 48 Volt

Colour	Part No.	Voltage
● Red	10-2119.1042	48VAC/DC, 4/8mA
● Yellow	10-2119.1044	48VAC/DC, 4/8mA
● Green	10-2119.1045	48VAC/DC, 4/8mA
● Blue	10-2119.1046	48VAC/DC, 4/8mA
○ White	10-2119.1049	48VAC/DC, 4/8mA

A Accessories



Lens, plastic for raised, round indicator body, full face

Colour	Part No.
● Red	704.603.2
● Yellow	704.603.4
● Green	704.603.5
● Blue	704.603.6
○ Clear	704.603.7

For complete lens also order diffuser 704.608.9



Lens cap, round, transparent, plastic for raised and flush indicators with bezel and pushbutton actuators

Colour	Part No.
● Red	704.602.2
● Yellow	704.602.4
● Green	704.602.5
● Blue	704.602.6
○ Clear	704.602.7
● Black	704.602.0

For complete lens also order diffuser 704.609.9

A Accessories



Aluminium raised bezel, grey plastic raised bezel and flush mount aluminium bezel

Image	Part No.	Product description
1	704.600.1	Aluminium raised bezel
2	704.600.6	Grey plastic bezel
3	704.955.1	Flush mount aluminium bezel



Protective cover, raised pushbutton

Part No.
704.925.0



Protective front ring with silicon membrane for raised or flush mount pushbutton

Part No.	Size
704.600.3	29mm diameter for raised pushbutton
704.955.3	35mm diameter for flush mount pushbutton

Choose one component from each of the coloured sections to assemble a complete switch.
For other options or further information please contact your local sales office.



A Accessories



Blanking plate



LED and lens remover



Marking plate for full face indicator, marking plate and legend plate

Part No.	Mounting hole	Image	Part No.	Product description	Image	Part No.	Product description
704.960.7	22.5mm Ø	1	51-996	LED remover	1	704.608.9	Diffuser full face
704.964.8	30.5mm Ø	2	700.006.0	Lens remover	2	704.609.9	Diffuser
					3	704.962.0	Legend plate

