

Power Cords

Pwr Cord, 10A, 100-230V, C13 to C14



APC Power Cords , Input: 120V, 208V, 230V , Input Connections: IEC-320 C14 , Cord Length: 8.2 feet (2.5 meters) , Output Connections: IEC 320 C13

Standard Lead Time: Usually in Stock

Technical Specifications

- [Product Overview](#)
- [Documentation](#)

Output

Maximum Total Current Draw per Phase

10A

Output Connections

(1) IEC 320 C13



Overload Protection

No

Input

Nominal Input Voltage

120V,208V,230V

Input Frequency

50/60 Hz

Input Connections

IEC-320 C14

Cord Length

2.5 meters

Number of Power Cords

1

Acceptable Input Voltage

90-250 VAC

Maximum Line Current per phase

10A

Maximum Input Current per phase

10A

Physical

Net Weight

0.23 KG

Maximum Height

38.00 mm

Maximum Width

76.00 mm

Maximum depth

203.00 mm

Shipping Weight

0.30 KG

Shipping Height

51.00 mm

Shipping Width

102.00 mm

Shipping Depth

203.00 mm

Color

Black

Units per Pallet

600.00

Environmental

Operating Environment

0 - 45 °C

Operating Relative Humidity

0 - 95%

Operating Elevation

0-3000 meters

Storage Temperature

-25 - 65 °C

Storage Relative Humidity

0 - 95%

Storage Elevation

0-15000 meters

Conformance

Regulatory Approvals

CSA,UL Listed,VDE

Standard Warranty

2 years repair or replace