



**SYLVANIA**



**OSRAM**



## **Sylvania Automotive Lamp Catalog**

### **Housing and Lens Assemblies**

**T-2 Indicator Slide Base Lamps**

**T-2 Pilot Slide Base Lamps**

**T-2 1/2 Miniature Bayonet Base Lamps**

**T-2 Indicator Cartridge Lamps**

**T-2 Pilot Cartridge Lamps**

**T-3 1/4 Miniature Bayonet Base Lamps**

**Universal Lamp Housings**

Line No.	Lamp No.	Design Volts	Design Amps	Design Watts	Filament Type	Average End Foot Candles	Rated Life
1	918IC <sup>1</sup>	12	0.04	0.48	C-2V	550	10,000
2	926IC <sup>1</sup>	16	0.04	0.64	C-2F	750	7,500
3	933IC <sup>1</sup>	24	0.017	0.42	C-2F	200	15,000
4	934IC <sup>1</sup>	24	0.04	0.96	C-2F	650	8,000
5	938IC <sup>1</sup>	28	0.04	1.12	C-2F	1500	6,000
6	941IC <sup>1</sup>	48	0.04	1.92	C-2F	3000	5,000

1 C14C-0001-0001

### Lenses

Line No	Color	Part Number	
		Transparent	Translucent
1	Amber	30140	-
2	Clear	30141	-
3	Red	30142	30147
4	Blue	30143	-
5	Green	30144	30149
6	Yellow	-	30145
7	White	-	30146



### Indicator Sockets

Line No	PartNo	Alternate No.	Base
1	SM1A*	30098	Solder Lugs



#30098 Socket

\*MiL - Std. 18235 MiL-L-3661 A-MiL Std. 202B  
Material: Black Phenolic  
Max. Current - 1 amp.

***Dimensions***

Lenses : Diameter : 0.400"; Height : 0.425"  
Socket : Front of panel to end of terminals: 1.0"  
Mounting Hole : 0.372" diameter