## **Tube Testing Probes**

### **Tube Testing Probes Complete List**



RB 45-N4Part No.:66960Tube testing probe for the inspection of longitudinal discontinuities.Tube must have a s/D-ratio ≤ 0.15 (sFrequency: 4 Mhz

Download: Info Sheet (77KB)



# MRB 45-N4Part No.:56642Miniature tube testing probe for the inspection of longitudinal discontinuities. Tube must have a s/D-ratioFrequency: 4 Mhz

Download: Info Sheet (84KB)



### IR-SEB 10 NZ .. Part No.: 66764 Tube testing probe without guiding rod for wall thickness measurements. Probes have a hose connectio Frequency: 10 Mhz

Download:

Info Sheet (74KB)



### IR-SEB 10 GZ ..

**Part No.:** 66766

Tube testing probe without guiding rod for wall thickness measurements. Probes have a hose connectio Frequency: 10 Mhz

Download: Info Sheet (74KB)



IR-SEB 10 NZ DBPart No.:68775Tube testing probe with guiding rod for wall thickness measurements. Probes have a hose connection. IFrequency: 10 Mhz

Download: Info Sheet (68KB)



IR-SEB 10 GZ DB

Part No.:

68776

Tube testing probe with guiding rod for wall thickness measurements. Probes have a hose connection. I Frequency: 10 Mhz

Download: Info Sheet (70KB)



HW 45/45 B4 NZ DBPart No.:69778Double angle beam probe for the inspection of tubes and wheel set axles for circumferential discontinuitFrequency: 4 Mhz

Download: Info Sheet (71KB)



 HW 45/45 B4 GZ DB

 Part No.:
 68779

Double angle beam probe for the inspection of tubes and wheel set axles for circumferential discontinuit Frequency: 4 Mhz

Download: Info Sheet (72KB)