



International Components Corporation

Tel: 631-952-9595 • 800-645-9154 • Fax: 631-952-9597 • Email: oemsales@icc107.com




PC MOUNT SPEAKERS

Part Number: S100RMF-PCR


MODEL NUMBER	S100RMF-PCR
FRAME DIAMETER (MM)	27
FRAME DEPTH (MM)	9.5
MAGNET TYPE	FERRITE - 16 x 7 x 5
RATED POWER (WATTS): Nom. / Max.	0.1 / 0.2
VOICE COIL IMPEDANCE (OHMS)	8 ± 15% @ 1500 Hz
RESONANT FREQUENCY (Hz)	670 ± 20%
FREQUENCY RESPONSE (Hz)	350 ~ 7,000 ± 10 dB
SOUND OUTPUT LEVEL (dB)	78 ± 3 dB
OPERATING TEMPERATURE (°C)	N/A
MATERIAL - CONE / FRAME	MYLAR / ABS
NET WEIGHT (GRAMS)	7.8
MOUNTING DIMENSIONS (MM)	2 PIN - 5mm

THESE SPEAKERS ARE AVAILABLE, ON A SPECIAL ORDER BASIS, IN A VARIETY OF VOICE COIL IMPEDANCES. THE MOST COMMON IMPEDANCES ARE 4, 16, 32, 45, AND 100 OHMS

■ DIMENSIONS



■ FREQUENCY



Measuring Condition: 0.89 V
 Level Range: 60 dB

0.1 W 0.1 M
 Zero Level (Fundamental): 60 dB

X Axis Speed: mm/sec
 Y Axis Speed: mm/sec

[Return to top](#)