

**Part# 2000-200-Loaded** J1-5 pressfit connectors loaded. Plated holes next to pressfit connectors are loaded with 2mm headers for easy connection to logic analyzer. Ejector handles/faceplate installed. **NOTE: Faceplate does not have cut-outs for front I/O connectors**



photo

**zoom Part# 2000-200-Loaded**

J1-5 pressfit connectors loaded. Plated holes next to pressfit connectors are loaded with 2mm headers for easy connection to logic analyzer. Ejector handles/faceplate installed.

.....

Category	Name	Short Description
<a href="#">PCI Extenders, Prototyping Boards &amp; Development Tools \ Connectors</a>	<a href="#">2000-64PCI</a>	cPCI to PCI Passive Adapter
<a href="#">PCI Extenders, Prototyping Boards &amp; Development Tools \ Development Tools</a>	<a href="#">2000-7586</a>	<b>PCI to CompactPCI Adapter</b>  Adapts Standard 32 Bit, 5 volt PCI Cards to CompactPCI Form Factor. For use with CompactPCI Backplane.
<a href="#">CompactPCI backplanes, extenders, adapters \ Prototyping Boards</a>	<a href="#">2000-50</a>	<b>3U CompactPCI Prototyping Board.</b>  The perfect board for developing mechanical and functional CompactPCI hardware designs.
<a href="#">CompactPCI backplanes, extenders, adapters \ Prototyping Boards</a>	<a href="#">2000-80</a>	<b>6U, 80mm CompactPCI Rear I/O Prototyping Board.</b>  The perfect board for developing mechanical and functional CompactPCI hardware designs.  <ul style="list-style-type: none"> <li>● Plated holes for 2mm J1 - J5 pressfit connectors</li> <li>● Plated holes for RJ45(3), DB25, &amp; DB9 connectors</li> <li>● Plated holes with traces connected to every connector pin (for monitoring signals or soldering components)</li> <li>● Labeled bus bars for all cPCI voltages</li> <li>● Additional bus bars for ground</li> <li>● Prototyping area with plated holes on 0.1" grid</li> </ul>

## **6U CompactPCI Prototyping Board.**

The perfect board for developing mechanical and functional CompactPCI hardware designs. Designated areas for all cPCI connectors and 6 other commonly used connectors. All connector through holes extend to dedicated through holes for signal monitoring or soldering components.

[CompactPCI backplanes, extenders, adapters \ Prototyping Boards](#)

[2000-200](#)

## **6U CompactPCI Prototyping Board with pressfit connectors, 2mm headers, and ejector handle.**

J1-5 pressfit connectors loaded. Plated holes next to pressfit connectors are loaded with 2mm headers for easy connection to logic analyzer. Ejector handles/faceplate installed.

[CompactPCI backplanes, extenders, adapters \ Prototyping Boards](#)

[2000-200-Loaded](#)

## **3U CompactPCI Extender**

Supports both 32 and 64 bit transfers.

[CompactPCI backplanes, extenders, adapters \ Extender Cards - Passive](#)

[2000-EXTM-LF](#)

Multi-layer design with full ground and power planes.

All power rails fused with standard 3AG fuses. Lead-free version (-LF)

## **6U CompactPCI Extender**

Supports both 32 and 64 bit transfers.

[CompactPCI backplanes, extenders, adapters \ Extender Cards - Passive](#)

[2000-6U-EXTM-LF](#)

Multi-layer design with full ground and power planes.

All power rails fused with standard 3AG fuses.